

NHS England and BAPM Central Venous Catheter Group
Literature search strategy May 2015

Search terms (AND, OR, NOT) and truncation (wildcard characters like *)	Central Line Central Line AND Newborn Central Catheter Central Venous Catheter Neonat AND, OR Longline; Neonat AND OR catheter; Neonat AND, OR Central line Umbilical AND, OR Catheter Umbilical venous catheter Umbilical vein catheterization Umbilicus Hepatic haematoma Chlorhexidine AND Neonat Povidone Iodine AND Neonat
Databases searched	<i>Primary Search-PubMed, Ovid (1946-2015 May), Embase</i> <i>Supplemented by Google Scholar</i> <i>Textbooks Included (Macdonald & Rennie)</i>
Part of journals searched	<i>I have used keywords for search in the</i> 1. Title 2. Abstract 3. As a Text word
Years of search	<i>As above</i>
Language	<i>English and articles which were translated into English</i>
Types of studies to be included	<i>RCT</i> <i>Prospective observational studies</i> <i>Retrospective Studies</i> <i>Case Reports</i>
Inclusion criteria (why did you include it?)	<i>Article related to umbilical venous catheter or percutaneous long line which fit into one of the following categories-</i> 1. <i>Background for this work. (Extravasation related)</i> 2. <i>Catheter types and material used in neonates</i>

	<ul style="list-style-type: none"> 3. <i>Procedural Asepsis in the neonate</i> 4. <i>Measurement and Preparation</i> 5. <i>Insertion of the catheter</i> 6. <i>Securing and Fixation</i> 7. <i>Complications</i> 8. <i>Literature regarding ideal position</i> 9. <i>Confirming line position (Radiology and Ultrasound)</i> 10. <i>Literature covering duration for which the line is kept in-situ.</i> 11. <i>Examples of good practice (Guidelines,</i>
Exclusion criteria (why did you rule it out?)	

Literature Search (Last completed 17/05/2015)

1. **Image interpretation session.** Neonatal bilateral chylothoraces secondary to obstruction of the superior vena cava (as complication of inadvertent placement of a umbilical vein catheter). Radiographics : a review publication of the Radiological Society of North America, Inc. 1990;10(1):152-6.
2. [Prospective evaluation of umbilical catheters in newborn infants. The Castrillo Hospital Group]. Anales espanoles de pediatria. 2000;53(5):470-8.
3. Editorial II: Safe placement of central venous catheters: where should the tip of the catheter lie? British journal of anaesthesia. 2000;85(2):188-91.
4. Use of Chlorhexidine Gluconate with Alcohol for the Prevention of Peripheral Intravenous Device Infections: A Review of Clinical and Cost Effectiveness, and Guidelines. Ottawa ON: 2014 Canadian Agency for Drugs and Technologies in Health.; 2014 Apr 03.
5. Abdellatif M, Ahmed A, Alsenaidi K. Cardiac tamponade due to umbilical venous catheter in the new born. BMJ case reports. 2012;2012:bcr-2012-6160.
6. Abdeyazdan Z, Sheikhan-Sudani E, Sadeghnia A, Talakoub S. Effect of using static ultrasound technique on peripherally inserted central catheters' insertion success rate in neonates in a neonatal intensive care unit. Iranian journal of nursing and midwifery research. 2014;19(6):643-6.
7. ABLOW RC, EFFMAN EL. Hepatic calcifications associated with umbilical vein catheterization in the newborn infant. American Journal of Roentgenology. 1972;114(2):380-5.

8. Abramowsky CR, Chrenka B, Fanaroff A. Wharton jelly embolism: an unusual complication of umbilical catheterization. *J Pediatr.* 1980;96(4):739-41.
9. Adams J, Rudolph A. Simple method for stabilising umbilical catheters. *Archives of disease in childhood.* 1979;54(7):563.
10. Ades A, Sable C, Cummings S, Cross R, Markle B, Martin G. Echocardiographic evaluation of umbilical venous catheter placement. *Journal of perinatology.* 2003;23(1):24-8.
11. Agarwal KC, Khan MA, Falla A, Amato JJ. Cardiac perforation from central venous catheters: survival after cardiac tamponade in an infant. *Pediatrics.* 1984;73(3):333-8.
12. Aggarwal R, Downe L. Neonatal pericardial tamponade from a silastic central venous catheter. *Indian pediatrics.* 2000;37(5):564-6.
13. Aggarwal R, Downe L. Use of percutaneous silastic central venous catheters in the management of newborn infants. *Indian pediatrics.* 2001;38(8):889-92.
14. Aiken G, Porteous L, Tracy M, Richardson V. Cardiac tamponade from a fine silastic central venous catheter in a premature infant. *J Paediatr Child Health.* 1992;28(4):325-7.
15. Ainsworth SB, Clerihew L, McGuire W. Percutaneous central venous catheters versus peripheral cannulae for delivery of parenteral nutrition in neonates. *The Cochrane database of systematic reviews.* 2007(3):CD004219.
16. Al Nemri AM, Ignacio LC, Al Zamil FA, Al Jarallah AS. Rare but fatal complication of umbilical venous catheterization. *Congenital heart disease.* 2006;1(4):180-3.
17. Alabsi S. Neonatal cardiac tamponade and pleural effusion resolved with chest tube placement. *Neonatal network : NN.* 2010;29(6):347-51.
18. AlAbsi S, Phelps D, Klionski N. Unexpected course of left leg percutaneous silastic catheters. *Archives of Disease in Childhood-Fetal and Neonatal Edition.* 2006;91(4):F311-F2.
19. Aladangady N, Roy R, Costeloe KL. The cobweb sign: percutaneous silastic long line tip placement in tributaries of superficial veins. *Journal of perinatology : official journal of the California Perinatal Association.* 2005;25(10):671-3.
20. Al-Essa M, Rashwan N, Devarajan LV. Double-catheter technique for the proper insertion of umbilical venous catheters in newborns. *Medical principles and practice : international journal of the Kuwait University, Health Science Centre.* 2005;14(2):98-101.
21. Alia R, Ali H. PC.85 2 years follow up of intra-abdominal extravasation of TPN causing liver necrosis in a preterm infant. *Archives of Disease in Childhood - Fetal and Neonatal Edition.* 2014;99(Suppl 1):A65-A7.
22. Alkalay AL, Mazkereth R, Santulli T, Jr., Pomerance JJ. Central venous line thrombosis in premature infants: a case management and literature review. *American Journal of Perinatology.* 10(4):323-6.
23. Allaway AJ, Young DG. Umbilical vessel catheters. *Journal of the Royal College of Surgeons of Edinburgh.* 1982;27(3):174-80.
24. Allegaert K, Naulaers G, Breysem L, Devlieger H. Total parenteral nutrition ascites: complication of malposition of umbilical venous catheter in two neonates. *Prenatal and Neonatal Medicine.* 2001;6(3):192-3.
25. Almasri H, Bany-Mohammed F. Early fatal cardiac tamponade without cardiomegaly following umbilical vein catheterization in an extremely low birthweight infant. *Journal of Neonatal-Perinatal Medicine.* 2012;5(3):283-7.
26. Alzaydi AM, Mersal AY, Al-Saeedi SA, El-Naggar WA. Survival of 2 extreme preterm neonates with cardiac tamponade as a complication of percutaneous central venous catheterization. *Saudi Med J.* 2005;26(3):476-7.
27. Anagnostakis D, Kamba A, Petrochilou V, Arseni A, Matsaniotis N. Risk of infection associated with umbilical vein catheterization. A prospective study in 75 newborn infants. *J Pediatr.* 1975;86(5):759-65.
28. Ancora G, Soffritti S, Faldella G. Diffuse and severe ischemic injury of the extremities: a complication of umbilical vein catheterization. *Am J Perinatol.* 2006;23(6):341-4.

29. Anderson J, Leonard D, Braner DA, Lai S, Tegtmeyer K. Videos in clinical medicine. Umbilical vascular catheterization. *The New England journal of medicine*. 2008;359(15):e18.
30. Anderson J, Leonard D, Braner DA, Lai S, Tegtmeyer K. Umbilical vascular catheterization. *New England Journal of Medicine*. 2008;359(15).
31. Ang H, Veldman A, Lewis A, Carse E, Wong FY. Procedural training opportunities for basic pediatric trainees during a 6-month rotation in a level III perinatal centre in Australia. *Journal of Maternal-Fetal and Neonatal Medicine*. 2012;25(11):2428-31.
32. Arai J, Mouri Y, Miyamoto Y. Detection of peripherally inserted central catheter occlusion by in-line pressure monitoring. *Paediatric anaesthesia*. 2002;12(7):621-4.
33. Arnts IJ, Bullens LM, Groenewoud JM, Liem KD. Comparison of complication rates between umbilical and peripherally inserted central venous catheters in newborns. *Journal of obstetric, gynecologic, and neonatal nursing : JOGNN / NAACOG*. 2014;43(2):205-15.
34. Arnts IJJ, Schrijvers NM, Van Der Flier M, Groenewoud JMM, Antonius T, Liem KD. Central line bloodstream infections can be reduced in newborn infants using the modified Seldinger technique and care bundles of preventative measures. *Acta Paediatrica, International Journal of Paediatrics*. 2015;104(4):e152-e7.
35. Arshad FA, Eng CY, Daw W, Thevasagayem MS, Bateman N. Vocal cord paralysis following central line insertion in a neonate: a review of the literature. *BMJ case reports*. 2011.
36. Arul GS, Livingstone H, Bromley P, Bennett J. Ultrasound-guided percutaneous insertion of 2.7 Fr tunnelled Broviac lines in neonates and small infants. *Pediatric surgery international*. 2011;26(8):815-8.
37. Arya SO, Hiremath GM, Okonkwo KC, Pettersen MD. Central venous catheter-associated pericardial tamponade in a 6-day old: a case report. *International journal of pediatrics*. 2009;2009:910208.
38. Aslam A, Ahmed Shatla ES, Imanullah S, Bedair EM. Splenic Abscess: A Rare Complication of the UVC in Newborn. *Case Rep Pediatr*. 2014;2014:903421.
39. Au SH, Sun DC, Lue HC. Cardiac tamponade from percutaneous central venous catheterization: report of one case. *Acta paediatrica Taiwanica = Taiwan er ke yi xue hui za zhi*. 2003;44(4):235-7.
40. Babaoğlu K, Seringç M, Altun G, Öncel S, Arısoy AE. Effects of umbilical venous catheters on arrhythmia and heart rate variability in premature newborns.
41. Baggio MA, Bazzi FC, Bilibio CA. [Peripherally inserted central catheter: description of its use in neonatal and pediatric ICU]. *Revista gaucha de enfermagem / EENFUFRGS*. 2010;31(1):70-6.
42. Bagna R, Bertino E, Colnaghi MR, Fumagalli M, Fabris C, Marini A. Spontaneous rupture and successful removal of Silastic catheters in two low birth weight infants. *European journal of pediatrics*. 2001;160(8):525.
43. Bagtharia R, Kemplay ST, Hla TM. Acute neonatal collapse resulting from pericardial effusion. *European journal of pediatrics*. 2001;160(12):726-7.
44. Baker DH, Berdon WE, James LS. Proper localization of umbilical arterial and venous catheters by lateral roentgenograms. *Pediatrics*. 1969;43(1):34-9.
45. Baker J, Imong S. A rare complication of neonatal central venous access. *Archives of disease in childhood Fetal and neonatal edition*. 2002;86(1):F61-2.
46. Baker SF, Smith BJ, Donohue PK, Gleason CA. Skin care management practices for premature infants. *Journal of perinatology: official journal of the California Perinatal Association*. 1999;19(6 Pt 1):426-31.
47. Balagtas RC, Bell CE, Edwards LD, Levin S. Risk of local and systemic infections associated with umbilical vein catheterization: a prospective study in 86 newborn patients. *Pediatrics*. 1971;48(3):359-67.

48. Baranowski ST, Hummler H, Hopfner RJ. Unusual malposition of a peripherally inserted central catheter (PICC) in a very low birth weight infant (VLBW infant). *Klinische Padiatrie*. 2014;226(4):248-9.
49. Bargy F, Barbet P, Houette A. Diameter of the superior vena cava in the newborn: clinical applications in parenteral nutrition. *Surg Radiol Anat*. 1987;9(4):293-7.
50. Bargy F, Barbet P, Houette G. [The pericardium of the newborn infant. Anatomic and radio-anatomic study with the view toward better positioning central catheters in the superior vena cava]. *Bull Assoc Anat (Nancy)*. 1986;70(210):47-9.
51. Bar-Joseph G, Galvis AG. Perforation of the heart by central venous catheters in infants: guidelines to diagnosis and management. *Journal of pediatric surgery*. 1983;18(3):284-7.
52. Barria PM, Santander MG. Peripherally-inserted central venous catheter in newborn intensive care unit. [Spanish]. *Revista chilena de pediatria*. 2006;77(2):139-46.
53. Barría RM, Lorca P, Muñoz S. Randomized controlled trial of vascular access in newborns in the neonatal intensive care unit. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*. 2007;36(5):450-6.
54. Barsuk JH, McGaghie WC, Cohen ER, Balachandran JS, Wayne DB. Use of simulation-based mastery learning to improve the quality of central venous catheter placement in a medical intensive care unit. *Journal of hospital medicine*. 2009;4(7):397-403.
55. Bartock L. An Evidence-Based Systematic Review of Literature for the Reduction of PICC Line Occlusions. *The Journal of the Association for Vascular Access*. 15(2):58-63.
56. Battin M, Page B, Knight D. Percutaneous intravenous central catheters. *J Paediatr Child Health*. 2001;37(5):527.
57. Bayhan C, Takci S, Çiftçi TT, Yurdakok M. Sterile hepatic abscess due to umbilical venous catheterization. *The Turkish journal of pediatrics*. 2012;54:671-3.
58. Bayley G. Technique for insertion of percutaneous central venous catheters in the newborn period. *Archives of disease in childhood Fetal and neonatal edition*. 2003;88(3):F256-7.
59. Beardsall K, White DK, Pinto EM, Kelsall AWR. Pericardial effusion and cardiac tamponade as complications of neonatal long lines: are they really a problem? *Archives of Disease in Childhood - Fetal and Neonatal Edition*. 2003;88(4):F292-F5.
60. Beattie P, Kuschel C, Harding J. Pericardial effusion complicating a percutaneous central venous line in a neonate. *Acta Paediatrica*. 1993;82(1):105-7.
61. Been JV, Degraeuwe PL. Pleural effusion due to intra-abdominal extravasation of parenteral nutrition. *Pediatric pulmonology*. 2008;43(10):1033-5.
62. Belo MP, Silva RA, Nogueira IL, Mizoguti DP, Ventura CM. [Neonatology nurses' knowledge about Peripherally Inserted Central Venous Catheter]. *Revista brasileira de enfermagem*. 2012;65(1):42-8.
63. Beluffi G, Vivarelli M, Mongini ME, Chiara A. Hepatic calcification following umbilical vein catheterization in a premature baby. *European radiology*. 2004;14(7):1320-1.
64. Benjamin DK, Jr., Miller W, Garges H, Benjamin DK, McKinney RE, Jr., Cotton M, et al. Bacteremia, central catheters, and neonates: when to pull the line. *Pediatrics*. 2001;107(6):1272-6.
65. Berman EJ. Parenteral nutrition in the management of sick low-birthweight infants. *Journal of pediatric surgery*. 1988;8(6):988.
66. Biban P, Cavalli C, Santuz P, Soffiati M, Rugolotto S, Zangardi T. [Positioning of umbilical vein catheter with ECG-guided technique: randomized study]. *Acta bio-medica de L'Ateneo parmense : organo della Societa di medicina e scienze naturali di Parma*. 2000;71 Suppl 1:647-50.
67. Bierman SF. Medical line securement device for use with neonates. Google Patents; 2005.
68. Birch P, Ogden S, Hewson M. A randomised, controlled trial of heparin in total parenteral nutrition to prevent sepsis associated with neonatal long lines: the Heparin in Long Line Total

- Parenteral Nutrition (HILLTOP) trial. Archives of disease in childhood Fetal and neonatal edition. 2010;95(4):F252-7.
69. Bjorklund LJ, Malmgren N, Lindroth M. Pulmonary complications of umbilical venous catheters. *Pediatr Radiol*. 1995;25(2):149-52.
70. Blackwood BP, Farrow KN, Kim S, Hunter CJ. Peripherally Inserted Central Catheters Complicated by Vascular Erosion in Neonates. *JPEN Journal of parenteral and enteral nutrition*. 2015.
71. Blanchard AC, Fortin E, Rocher I, Moore DL, Frenette C, Tremblay C, et al. Central line-associated bloodstream infection in neonatal intensive care units. *Infection Control & Hospital Epidemiology*. 2011;34(11):1167-73.
72. Boechat MI. Massive liver mass and parenteral nutrition extravasation secondary to umbilical venous catheter complication. *Journal of Pediatric Gastroenterology and Nutrition* 2014. 2014.
73. Bothur-Nowacka J, Czech-Kowalska J, Grusfeld D, Nowakowska-Rysz M, Kościeszka A, Polnik D, et al. Complications of umbilical vein catheterisation. Case Report. *Polish Journal of Radiology*. 2011;76(3):70-3.
74. Bouissou A, Rakza T, Storme L, Lafarghe A, Fily A, Diependaele JF, et al. [Umbilical and peripherally inserted venous central catheterization of the newborn]. *Archives de pediatrie : organe officiel de la Societe francaise de pediatrie*. 2008;15(9):1447-53.
75. Boutaric E, Gilardi M, Cecile W, Flechelles O. [Impact of clinical practice guidelines on the incidence of bloodstream infections related to peripherally inserted central venous catheter in preterm infants]. *Archives de pediatrie : organe officiel de la Societe francaise de pediatrie*. 2013;20(2):130-6.
76. Bradshaw WT, Furdon SA. A nurse's guide to early detection of umbilical venous catheter complications in infants. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses*. 2006;6(3):127-38; quiz 39-41.
77. Brans YW, Ceballos R, Cassady G. Umbilical catheters and hepatic abscesses. *Pediatrics*. 1974;53(2):264-6.
78. Breaux CW, Jr., Duke D, Georgeson KE, Mestre JR. Calcium phosphate crystal occlusion of central venous catheters used for total parenteral nutrition in infants and children: prevention and treatment. *Journal of pediatric surgery*. 1987;22(9):829-32.
79. Brissaud O, Harper L, Lamireau D, Jouvencel P, Fayon M. Sonography-guided positioning of intravenous long lines in neonates. *European journal of radiology*. 2013;74(3):e18-e21.
80. Brooker RW, Keenan WJ. Catheter related bloodstream infection following PICC removal in preterm infants. *Journal of perinatology : official journal of the California Perinatal Association*. 2007;27(3):171-4.
81. Brown DR, Fenton LJ, Tsang RC. Blood sampling through umbilical catheters. *Pediatrics*. 1975;55(2):257-60.
82. Bueno TM, Diz AI, Cervera PQ, Perez-Rodriguez J, Quero J. Peripheral insertion of double-lumen central venous catheter using the Seldinger technique in newborns. *Journal of perinatology : official journal of the California Perinatal Association*. 2008;28(4):282-6.
83. Bulbul A, Okan F, Nuhoglu A. Percutaneously inserted central catheters in the newborns: a center's experience in Turkey. *The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstet*. 2010;23(6):529-35.
84. Burke-Strickland M. Technique for placing umbilical catheters. *Minnesota medicine*. 1972;55(11):1021-4.
85. Butler G, Al-Assaf N, Tarrant A, Ryan S, El-Khuffash A. Using lateral radiographs to determine umbilical venous catheter tip position in neonates. *Irish medical journal*. 2014.

86. Butler-O'Hara M, Buzzard CJ, Reubens L, McDermott MP, DiGrazio W, D'Angio CT. A randomized trial comparing long-term and short-term use of umbilical venous catheters in premature infants with birth weights of less than 1251 grams. *Pediatrics*. 2006;118(1):e25-35.
87. Byard RW, Bourne AJ, Moore L, Little KET. Sudden death in early infancy due to delayed cardiac tamponade complicating central venous line insertion and cardiac catheterization. *Archives of Pathology and Laboratory Medicine*. 1992;116(6):654-6.
88. ČAČE IB, KRAJINA R, ČAČE N. Umbilical Vein Catheterization-When Complications Occur. *SIGNA VITAE*. 2014;9(1).
89. Cade A, Puntis JW. Pericardial parenteral nutrition infusion following acute angulation of a neonatal polyurethane central venous catheter tip. *Clinical nutrition*. 1997;16(5):263-4.
90. Cairns P, Wilson D, McClure B, Halliday H, McReid M. Percutaneous central venous catheter use in the very low birth weight neonate. *European journal of pediatrics*. 1995;154(2):145-7.
91. Calkins KL, Venick RS, Devaskar SU. Complications Associated with Parenteral Nutrition in the Neonate. *Clinics in perinatology*. 2014;41(2):331-45.
92. Callejas AM, Osiovich H, Ting JY. The use of scalp veins for insertion of peripherally inserted central catheter in neonates. *Paediatrics and Child Health (Canada)*. 2014;19 (6):e56.
93. Callesen MT, Nielsen PE. [Premature baby with cardiac tamponade after displacement of peripheral inserted central catheter]. *Ugeskrift for Laeger*. 2008;170(20):1757.
94. Camara D. Minimizing risks associated with peripherally inserted central catheters in the NICU. *MCN The American journal of maternal child nursing*. 2001;26(1):17-21; quiz 2.
95. Campbell RE. ROENTGENOLOGIC FEATURES OF UMBILICAL VASCULAR CATHETERIZATION IN THE NEWBORN. *American Journal of Roentgenology*. 1971;112(1):68-76.
96. Can E, Salihoglu O, Ozturk A, Gungor A, Guler E, Hatipoglu S. Complication profiles of central and non-central 1 Fr PICCs in neonates weighing <1500 g. *The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstet*. 2014;27(15):1522-5.
97. Carey B, Larson B, Goold G. A neonatal teaching tool: working with umbilical catheters. *MCN The American journal of maternal child nursing*. 1980;5(6):393-7.
98. Carey BE. Major complications of central lines in neonates. *Neonatal network : NN*. 1989;7(6):17-28.
99. Carles D, Boucard C, Baudoin B, Pelluard F, Andre G, Naudion S, et al. [Cardiac tamponade with anterior interventricular vein thrombosis complicating central venous catheter insertion in a neonate]. *Ann Pathol*. 2012;32(3):217-9.
100. Carroll BA. Radiology—Important Advances in Clinical Medicine: Ultrasonic Evaluation of Neonatal Vascular Catheters. *Western Journal of Medicine*. 1983;139(1):86.
101. Cartwright DW. Placement of neonatal central venous catheter tips: is the right atrium so dangerous? *Archives of disease in childhood Fetal and neonatal edition*. 2002;87(2):F155; discussion F-6.
102. Cartwright DW. Central venous lines in neonates: a study of 2186 catheters. *Archives of disease in childhood Fetal and neonatal edition*. 2004;89(6):F504-8.
103. Caruselli M, Carboni L, Franco F, Torino G, Camilletti G, Piattellini G, et al. Central venous catheters in neonates: from simple monolumen to port catheter. *J Vasc Access*. 2011;12(1):4-8.
104. Carvajal-Barrios GA, Corrales-Cobos IF, Cuenca-Arias MC, Troncoso-Moreno GA. Liver abscess secondary to umbilical catheterization in a newborn. *Infectio*. 2014;18(4):158-61.
105. Casalino MB, Lipsitz PJ, Krauss AN. Contamination of umbilical catheters. *J Pediatr*. 1971;78(6):1077-8.

106. Chaiyakunapruk N, Veenstra DL, Lipsky BA, Saint S. Chlorhexidine compared with povidone-iodine solution for vascular catheter-site care: a meta-analysis. *Ann Intern Med.* 2002;136(11):792-801.
107. Chan BK, Rupasinghe SN, Hennessey I, Peart I, Baillie CT. Retained central venous lines (CVLs) after attempted removal: an 11-year series and literature review. *Journal of pediatric surgery.* 48(9):1887-91.
108. Chandran S, Chong E. Delayed presentation of a neonatal long line incident. *J Paediatr Child Health.* 2003;39(9):719.
109. Chang L, Horng Y, Chou Y, Tsou K. Umbilical venous line related pericardial effusion in a premature neonate: report of a case. *Journal of the Formosan Medical Association= Taiwan yi zhi.* 1995;94(6):355-7.
110. Chapman AK, Aucott SW, Gilmore MM, Advani S, Clarke W, Milstone AM. Absorption and tolerability of aqueous chlorhexidine gluconate used for skin antisepsis prior to catheter insertion in preterm neonates. *Journal of perinatology : official journal of the California Perinatal Association.* 2013;33(10):768-71.
111. Chatel-Meijer MP, Roques-Gineste M, Fries F, Bloom MC, Laborie S, Lelong-Tissier MC, et al. [Cardiac tamponade secondary to umbilical venous catheterization accident in a premature infant]. *Archives francaises de pediatrie.* 1992;49(4):373-6.
112. Chathas MK. Percutaneous central venous catheters in neonates. *Journal of obstetric, gynecologic, and neonatal nursing : JOGNN / NAACOG.* 1986;15(4):324-32.
113. Chathas MK, Paton JB, Fisher DE. Percutaneous central venous catheterization. Three years' experience in a neonatal intensive care unit. *American journal of diseases of children (1960).* 1990;144(11):1246-50.
114. Chedid F, Abbas A, Morris L. Radiographic inguinal curl may indicate paraspinal misplacement of percutaneously inserted central venous catheters: report of three cases. *Pediatr Radiol.* 2005;35(7):684-7.
115. Cheng HY, Lu CY, Huang LM, Lee PI, Chen JM, Chang LY. Increased frequency of peripheral venipunctures raises the risk of central-line associated bloodstream infection in neonates with peripherally inserted central venous catheters. *Journal of microbiology, immunology, and infection = Wei mian yu gan ran za zhi.* 2014.
116. Cherng YG, Cheng YJ, Chen TG, Wang CM, Liu CC. Cardiac tamponade in an infant. *Anaesthesia.* 1994;49(12):1052-4.
117. Chirico G. Central vascular catheters and infections. *Early human development.* 2014;90:S51-S3.
118. Chlebicki MP, Teo EK. Review of peripherally inserted central catheters in the Singapore acute-care hospital. *Singapore medical journal.* 2003;44(10):531-5.
119. Chowdhary SK, Parashar K. Central venous access in neonates through the peripheral route. *Curr Opin Clin Nutr Metab Care.* 2000;3(3):217-9.
120. Chowdhary SK, Parashar K, Buick RG, Gornall P, Corkery JJ. Central-venous access through the peripheral route in surgical neonates: an audit of 125 consecutive lines from a regional neonatal centre. *Pediatric surgery international.* 2001;17(5-6):433-5.
121. Clarke P, Wadhawan R, Smyth J, Emmerson AJ. Parenteral nutrition solution retrieved by lumbar puncture following left saphenous vein catheterization. *J Paediatr Child Health.* 2003;39(5):386-9.
122. Cohen M, Sprigg A, Roberts I, Bustani P. Subcapsular haematoma and multifocal necrosis as fatal liver complications following umbilical vein catheterisation in a premature baby. *European journal of pediatric surgery: official journal of Austrian Association of Pediatric Surgery[et al]= Zeitschrift fur Kinderchirurgie.* 2006;16(1):55-7.
123. Cohen MD. Tubes wires and the neonate. *Clin Radiol.* 1980;31(3):249-56.

124. Colacchio K, Deng Y, Northrup V, Bizzarro MJ. Complications associated with central and non-central venous catheters in a neonatal intensive care unit. *Journal of perinatology : official journal of the California Perinatal Association*. 2012;32(12):941-6.
125. Coley BD, Seguin J, Cordero L, Hogan MJ, Rosenberg E, Reber K. Neonatal total parenteral nutrition ascites from liver erosion by umbilical vein catheters. *Pediatr Radiol*. 1998;28(12):923-7.
126. Connolly B, Amaral J, Walsh S, Temple M, Chait P, Stephens D. Influence of arm movement on central tip location of peripherally inserted central catheters (PICCs). *Pediatr Radiol*. 2006;36(8):845-50.
127. Conway DP. Catheter securing bridge. Google Patents; 1994.
128. Conway DP. Improved umbilical catheter anchoring device. *Neonatal network : NN*. 1998;17(5):65.
129. Corzine M, Willett LD. Neonatal PICC: one unit's six-year experience with limiting catheter complications. *Neonatal network : NN*. 2010;29(3):161-73.
130. Costa P, Bueno M, Alves AM, Kimura AF. Incidence of nonelective removal of percutaneously inserted central catheters according to tip position in neonates. *Journal of obstetric, gynecologic, and neonatal nursing : JOGNN / NAACOG*. 2013;42(3):348-56.
131. Costa P, Bueno M, Oliva CL, Elci de Castro T, Ponce de Camargo P, Kimura AF. [Analgesia and sedation during placement of peripherally inserted central catheters in neonates]. *Revista da Escola de Enfermagem da U S P*. 2013;47(4):801-7.
132. Costa P, Kimura AF, de Vizzotto MP, de Castro TE, West A, Dorea E. [Prevalence and reasons for non-elective removal of peripherally inserted central catheter in neonates]. *Revista gaucha de enfermagem / EENFUFRGS*. 2012;33(3):126-33.
133. Costa S, De Carolis MP, Fusco FP, Savarese I, Tesfagabir MG, Romagnoli C. Skin ulceration in a preterm infant: a warning sign of a percutaneous long line complication. *Arch Dermatol*. 2011;147(4):512-4.
134. Costa S, De Carolis MP, Savarese I, Manzoni C, Lacerenza S, Romagnoli C. An unusual complication of umbilical catheterisation. *European journal of pediatrics*. 2008;167(12):1467-9.
135. Courcoux MF, Jouvet P, Bonnet D, Iserin F, Bonhoeffer P. [Intravascular rupture of a central venous catheter in a premature infant: retrieval by a nonsurgical technique]. *Archives de pediatrie : organe officiel de la Societe francaise de pediatrie*. 2000;7(3):267-70.
136. Cowen J, Ellis SH, McAinsh J. Absorption of chlorhexidine from the intact skin of newborn infants. *Arch Dis Child*. 1979;54(5):379-83.
137. Crespo Cabello C, Jurado Moya E. [The epicutaneous catheter. Another form of central access]. *Revista de enfermeria*. 1989;12(135):21-3.
138. Crie JS, Hajar R, Folger G. Umbilical catheter masquerading at echocardiography as a left atrial mass. *Clinical cardiology*. 1989;12(12):728-30.
139. Cucurachi G, Tuoto MG. [Disinfectants for the skin of premature]. *Minerva pediatrica*. 2010;62(3 Suppl 1):157-9.
140. Cupitt JM. An unusual complication of a central venous catheter in a neonate. *Paediatric anaesthesia*. 2010;10(6):665-8.
141. Dane TE, King EG. Fatal cardiac tamponade and other mechanical complications of central venous catheters. *The British journal of surgery*. 1975;62(1):6-10.
142. Daniels SR, Hannon DW, Meyer RA, Kaplan S. Paroxysmal supraventricular tachycardia. A complication of jugular central venous catheters in neonates. *American journal of diseases of children (1960)*. 1984;138(5):474-5.
143. Darling JC, Newell SJ, Dear PR. Placement of neonatal central venous catheter tips in the right atrium: a practice to be avoided? *Archives of disease in childhood Fetal and neonatal edition*. 2001;85(2):F146.

144. Darling JC, Newell SJ, Mohamdee O, Uzun O, Cullinane CJ, Dear PR. Central venous catheter tip in the right atrium: a risk factor for neonatal cardiac tamponade. *Journal of perinatology : official journal of the California Perinatal Association.* 2001;21(7):461-4.
145. Datta M, Clarke P. Current practices in skin antisepsis for central venous catheterisation in UK tertiary-level neonatal units. *Archives of Disease in Childhood-Fetal and Neonatal Edition.* 2008;93(4):F328-F.
146. Davies JG. Two catheter technique in neonatal peritoneal dialysis. *Arch Dis Child.* 1984;59(5):492.
147. Davies M, Cartwright D. Insertion of umbilical venous catheters past the ductus venosus using the double catheter technique. *Archives of disease in childhood Fetal and neonatal edition.* 1998;78(3):F234.
148. De A, Imam A. Long line complication: accidental cannulation of ascending lumbar vein. *Archives of disease in childhood Fetal and neonatal edition.* 2005;90(1):F48.
149. de Brito CS, de Brito DV, Abdallah VO, Gontijo Filho PP. Occurrence of bloodstream infection with different types of central vascular catheter in critically neonates. *The Journal of infection.* 2010;60(2):128-32.
150. de Camargo PP, Kimura AF, Toma E, Tsunechiro MA. [Initial placement of the peripherally inserted central catheter's tip in neonates]. *Revista da Escola de Enfermagem da USP.* 2008;42(4):723-8.
151. De Carolis MP, Costa S, Polimeni V, Di Stasi C, Papacci P, Romagnoli C. Successful removal of catheter fragment from right atrium in a premature infant. *European journal of pediatrics.* 2007;166(6):617-8.
152. de Gamarra E, Ometto S, Moriette G, Murat I, Relier JP. [Percutaneous catheterization. Experience in a neonatal intensive care unit]. *Archives francaises de pediatrie.* 1982;39(7):429-32.
153. De Silva D, Lockie F, Coretti S, Ganu S, Cocks J. Evaluation of a neonatal and paediatric procedure animal laboratory teaching programme for retrieval/transport doctors and nurses: An ongoing competence improvement study. *Journal of Paediatrics and Child Health.* 2014;50:81.
154. De Silva P, Earl U, Sinha S. Complication of a central venous line in the newborn. *Archives of Disease in Childhood.* 1990;65(8):915.
155. Del Prato F, Di Matteo A, Messina F, Napolitano M. [PICC: central venous access by the peripheral route. Medical-nursing aspects]. *Minerva pediatrica.* 2010;62(3 Suppl 1):161-3.
156. D'Elia C, Correia MS, de Oliveira SD, Barbosa NM. [Bronchovascular fistula--complication of percutaneous central venous catheter in a neonate]. *Jornal de pediatria.* 2002;78(4):347-50.
157. Detaille T, Pirotte T, Veyckemans F. Vascular access in the neonate. *Best practice & research Clinical anaesthesiology.* 2010;24(3):403-18.
158. Devlieger H, Snoeys R, Wyndaele L, Jaeken J, Goddeeris P, Moerman P, et al. Liver necrosis in the new-born infant: analysis of some precipitating factors in neonatal care. *European journal of pediatrics.* 1982;138(2):113-9.
159. Dhanasekaran R, Karthekeyan RB, Vakamudi M. Cardiac tamponade secondary to perforation of innominate vein following central line insertion in a neonate. *Indian Journal of Anaesthesia.* 2014;58(6):746-8.
160. Dhawan A, Sinn J. Reducing iodine dose in contrast used for percutaneous central venous lines in neonates. *Journal of Paediatrics and Child Health.* 2012;48:139.
161. Dhua AK, Singh B, Kumar D, Awasthy N. Broken Umbilical Vein Catheter as an Embolus in a Neonate- An Unusual Preventable Complication2013.
162. Diamond LK, Allen FH, Thomas WO. Erythroblastosis Fetalis. *New England Journal of Medicine.* 1951;244(2):39-49.

163. Diemer A. Central venous silastic catheters in newborns: localization by sonography and radiology. *Pediatric radiology*. 1987;17(1):15-7.
164. Doellman D. Prevention, assessment, and treatment of central venous catheter occlusions in neonatal and young pediatric patients. *Journal of infusion nursing : the official publication of the Infusion Nurses Society*. 2011;34(4):251-8.
165. Dolcourt JL, Bose CL. Percutaneous insertion of silastic central venous catheters in newborn infants. *Pediatrics*. 1982;70(3):484-6.
166. Donnou-Da Lage MD, Guillois B, Colin A, Alix D. [Neonatal hydropericardium caused by a silicone epicutaneo-caval catheter]. *Pädiatrie*. 1988;43(1):23-5.
167. Dorand RD, Cook LN, Andrews BF. Umbilical vessel catheterization: the low incidence of complications in a series of 200 newborn infants. *Clin Pediatr (Phila)*. 1977;16(6):569-72.
168. Dorea E, de Castro TE, Costa P, Kimura AF, dos Santos FM. [Management practices of peripherally inserted central catheter at a neonatal unit]. *Revista brasileira de enfermagem*. 2011;64(6):997-1002.
169. Duarte ED, Pimenta AM, e Silva BC, de Paula CM. [Factors associated with infection from the use of peripherally inserted central catheters in a neonatal intensive care unit]. *Revista da Escola de Enfermagem da U S P*. 2013;47(3):547-54.
170. Dunn PM. Localization of the umbilical catheter by post-mortem measurement. *Arch Dis Child*. 1966;41(215):69-75.
171. Duntley P, Siever J, Korwes ML, Harpel K, Heffner JE. Vascular erosion by central venous catheters. Clinical features and outcome. *Chest*. 1992;101(6):1633-8.
172. Durand M, Ramanathan R, Martinelli B, Tolentino M. Prospective evaluation of percutaneous central venous silastic catheters in newborn infants with birth weights of 510 to 3,920 grams. *Pediatrics*. 1986;78(2):245-50.
173. Edell S. Hepatic calcification secondary to misplaced umbilical venous catheter: report of a case. *The Journal of the American Osteopathic Association*. 1975;75(3):330-3.
174. Egan EA, Eitzman DV. Umbilical vessel catheterization. *American Journal of Diseases of Children*. 1971;121(3):213-8.
175. Egyeppong J, Jain A, Chow P, Godambe S. Parenteral nutrition--ascites with acute renal failure as a complication from an umbilical venous catheter in an extremely low birth weight infant. *BMJ case reports*. 2011;2011.
176. Eifinger F, Brisken K, Roth B, Koebke J. Topographical anatomy of central venous system in extremely low-birth weight neonates less than 1000 grams and the effect of central venous catheter placement. *Clin Anat*. 2011;24(6):711-6.
177. Elboraee M, Ye XY, Toye J, Kumaran K, Aziz K, Shah P. Umbilical lines are an independent risk factor for adverse outcomes in very preterm babies. *Paediatrics and Child Health (Canada)*. 2014;19 (6):e61-e2.
178. Elema J. Liver Damage after Treatment with THAM via Umbilical Catheter. *Archives of disease in childhood*. 1971;46(250):885.
179. Elser HE. Options for securing umbilical catheters. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses*. 2013;13(6):426-9.
180. Emmrich P, Baumann W, Stechele U. The possibilities and dangers of longterm infusion therapy in severely ill newborn and premature infants. *Eur J Intensive Care Med*. 1975;1(2):77-84.
181. Evans A, Natarajan J, Davies CJ. Long line positioning in neonates: does computed radiography improve visibility? *Archives of disease in childhood Fetal and neonatal edition*. 2004;89(1):F44-5.
182. Evans JR, Allen AC, Stinson DA. Percutaneous insertion of central venous catheters. *Pediatrics*. 1983;71(4):668.

183. Evans M, Lentsch D. Percutaneously inserted polyurethane central catheters in the NICU: one unit's experience. *Neonatal network : NN.* 1999;18(6):37-46.
184. Fallon SC, Kim ME, Fernandes CJ, Vasudevan SA, Nuchtern JG, Kim ES. Identifying and reducing early complications of surgical central lines in infants and toddlers. *Journal of Surgical Research.* 2014;190(1):246-50.
185. Feaster SJ. After the learning curve: improved catheter performance in the NICU with a new technology and technique. *Neonatal intensive care : the journal of perinatology-neonatology.* 1991;4(3):12-5.
186. Fey D, Perrotta L. Peritoneal perforation resulting from umbilical vein catheterization: an unusual pattern. *J Pediatr.* 1973;83(3):501.
187. Fidler HL. The use of bedside ultrasonography for PICC placement and insertion. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses.* 2011;11(1):52-3.
188. Filan PM, Salek-Haddadi Y, Nolan I, Sharma B, Rennie JM. An under-recognised malposition of neonatal long lines. *European journal of pediatrics.* 2005;164(8):469-71.
189. Filan PM, Woodward M, Ekert PG. Stuck long line syndrome. *Archives of Disease in Childhood.* 90(6):558.
190. Fioravanti J, Buzzard CJ, Harris JP. Pericardial effusion and tamponade as a result of percutaneous silastic catheter use. *Neonatal network : NN.* 1998;17(5):39-42.
191. Fischer JE, Fanconi S. Percutaneous central venous catheterization in premature infants: a method for facilitating insertion of silastic catheters via peripheral veins. *Pediatrics.* 1998;101(3 Pt 1):477-9.
192. Fleming SE, Kim JH. Ultrasound-guided umbilical catheter insertion in neonates. *Journal of perinatology : official journal of the California Perinatal Association.* 2011;31(5):344-9.
193. Flurkey H. A case presentation: precipitate in the central venous line: what went wrong? *Neonatal network : NN.* 1994;13(1):51-5.
194. Foo R, Fujii A, Harris JA, LaMorte W, Moulton S. Complications in tunneled CVL versus PICC lines in very low birth weight infants. *Journal of perinatology : official journal of the California Perinatal Association.* 2001;21(8):525-30.
195. Foster J, Richards R, Showell M. Intravenous in-line filters for preventing morbidity and mortality in neonates. *Cochrane Database of Systematic Reviews.* (2):CD005248.
196. Franceschi AT, da Cunha ML. Adverse events related to the use of central venous catheters in hospitalized newborns. *Revista latino-americana de enfermagem.* 2010;18(2):196-202.
197. Fuchs EM, Sweeney AG, Schmidt JW. Umbilical venous catheter-induced hepatic hematoma in neonates. *J Neonatal Perinatal Med.* 2014;7(2):137-42.
198. Fuentealba TI, Retamal CA, Ortiz CG, Perez RM. [Radiographic assessment of catheters in a neonatal intensive care unit (NICU)]. *Revista chilena de pediatria.* 2014;85(6):724-30.
199. Fusaro F, Lo Piccolo R, Scarpa MG, Orzali A, Trafojer U, Zanon GF. Hepatic abscess and umbilical venous catheter: one cannot be cavalier about proper position. *J Vasc Access.* 2003;4(1):32-4.
200. Fusch C. Technical note: insertion of silastic catheters in neonates. *European journal of pediatrics.* 1994;153(3):211.
201. Gandini D, Koh TH. A novel, simple way to insert percutaneous central venous catheters in newborn babies. *Journal of perinatology : official journal of the California Perinatal Association.* 2003;23(2):162-3.
202. Garcia del Rio M, Lastra-Sanchez G, Martinez-Leon M, Martinez-Valverde A. Percutaneous catheter use in newborn infants with parenteral nutrition. *Early human development.* 1998;53 Suppl:S33-41.

203. Garg M, Chang CC, Merritt RJ. An unusual case presentation: pericardial tamponade complicating central venous catheter. *Journal of perinatology : official journal of the California Perinatal Association.* 1989;9(4):456-7.
204. Garland JS, Alex CP, Mueller CD, Cisler-Kahill LA. Local reactions to a chlorhexidine gluconate-impregnated antimicrobial dressing in very low birth weight infants. *The Pediatric infectious disease journal.* 1996;15(10):912-4.
205. Garland JS, Alex CP, Mueller CD, Otten D, Shivpuri C, Harris MC, et al. A randomized trial comparing povidone-iodine to a chlorhexidine gluconate-impregnated dressing for prevention of central venous catheter infections in neonates. *Pediatrics.* 2001;107(6):1431-6.
206. Garland JS, Buck RK, Maloney P, Durkin DM, Toth-Lloyd S, Duffy M, et al. Comparison of 10% povidone-iodine and 0.5% chlorhexidine gluconate for the prevention of peripheral intravenous catheter colonization in neonates: a prospective trial. *The Pediatric infectious disease journal.* 1995;14(6):510-6.
207. Gasparis AP, Santana D, Blewett C, Bohannon WT, Silva MB. Endoluminal Retrieval of a Dislodged Umbilical Vein Catheter A Case Report. *Vascular and endovascular surgery.* 2004;38(6):583-6.
208. Gates E, Shaw B, Kokai G. Sudden death from cardiac tamponade in an extremely low birth weight neonate with an umbilical venous catheter in situ. *Case Reports in Perinatal Medicine.* 2013;2(1-2):61-3.
209. Gatrad A, Gatrad A. Securing haemostasis during umbilical catheterisation in a neonate. *Archives of disease in childhood.* 1979;54(2):166.
210. Gawande R, Newman B. 42 Umbilical venous catheter malposition. Pearls and Pitfalls in Pediatric Imaging: Variants and Other Difficult Diagnoses. 2014:188.
211. Gazula S. Umbilical venous catheter insertion in gastroschisis. *Indian journal of pediatrics.* 2014;81(11):1261-2.
212. Gebauer B, Teichgraber UK, Podrabsky P, Beck A, Wagner HJ. [Ultrasound- and fluoroscopy-guided implantation of peripherally inserted central venous catheters (PICCs)]. *Röfo.* 2004;176(3):386-91.
213. Geffers C, Gastmeier A, Schwab F, Groneberg K, Ruden H, Gastmeier P. Use of central venous catheter and peripheral venous catheter as risk factors for nosocomial bloodstream infection in very-low-birth-weight infants. *Infection control and hospital epidemiology.* 2010;31(4):395-401.
214. George L, Waldman JD, Cohen ML, Segall ML, Kirkpatrick SE, Turner SW, et al. Umbilical vascular catheters: localization by two-dimensional echocadio/aortography. *Pediatric cardiology.* 1982;2(3):237-43.
215. Giacoia GP. Cardiac tamponade and hydrothorax as complications of central venous parenteral nutrition in infants. *JPEN Journal of parenteral and enteral nutrition.* 1991;15(1):110-3.
216. Gilhooly J, Lindenberg J, Reynolds JW. Central venous silicone elastomer catheter placement by basilic vein cutdown in neonates. *Pediatrics.* 1986;78(4):636-9.
217. Ginsberg HG. Advantages of dual-lumen umbilical vessel catheters versus single-lumen umbilical vessel catheters and additional peripheral intravenous catheters. *Journal of perinatology : official journal of the California Perinatal Association.* 1997;17(3):218-20.
218. Goldstein B. Multiple-lumen umbilical venous catheters. *J Pediatr.* 1992;121(3):499-500.
219. Gomes AV, Nascimento MA. [Central venous catheterization in pediatric and neonatal intensive care units]. *Revista da Escola de Enfermagem da U S P.* 2013;47(4):794-800.
220. Goni Orayen C, Perez Martinez A, Ruiz Cano R, Carrascosa Romero MC, Vazquez Garcia MS, Martinez Gutierrez A. [Central venous access by the Seldinger technic in

- neonatology]. Cirugia pediatrica : organo oficial de la Sociedad Espanola de Cirugia Pediatrica. 1999;12(4):165-7.
221. Gordon M, Bartruff L, Gordon S, Lofgren M, Widness JA. How fast is too fast? a practice change in umbilical arterial catheter blood sampling using the Iowa Model for Evidence-Based Practice. Advances in neonatal care : official journal of the National Association of Neonatal Nurses. 2008;8(4):198-207.
222. Goudet V, Timsit JF, Lucet JC, Lepape A, Balayn D, Seguin S, et al. Comparison of four skin preparation strategies to prevent catheter-related infection in intensive care unit (CLEAN trial): a study protocol for a randomized controlled trial. Trials. 2013;14:114.
223. Goutail-Flaud MF, Laguenie G, Bargy F, Esteve C, Couturier C, Saint-Maurice C. [Percutaneous or surgical central catheters in the newborn infant]. Annales francaises d'anesthesie et de reanimation. 1986;5(2):124-7.
224. Goutail-Flaud MF, Sfez M, Berg A, Laguenie G, Couturier C, Barbotin-Larrieu F, et al. Central venous catheter-related complications in newborns and infants: a 587-case survey. Journal of pediatric surgery. 1991;26(6):645-50.
225. Govind B, Tete PI, Thomas N. Percutaneous central line extravasation masquerading as an abscess. Indian pediatrics. 2014;51(4):309-10.
226. Gozzo Y, Cummings C, Chapman R, Bizzarro M, Mercurio M. Who is performing medical procedures in the neonatal intensive care unit? Journal of Perinatology. 2011;31(3):206-11.
227. Gozzo Y, Mercurio MR. Teaching Procedures in the Neonatal Intensive Care Unit Ethical Considerations and Limitations. NeoReviews. 2009;10(2):e82-e8.
228. Graham PL. Simple Strategies to Reduce Healthcare Associated Infections in the Neonatal Intensive Care Unit: Line, Tube, and Hand Hygiene. Clinics in perinatology. 2010;37(3):645-53.
229. Granov AM, Borisov AE, Vismont VG, Zemlianoi VP. [Modified method for catheterization of the umbilical vein]. Vestnik khirurgii imeni I I Grekova. 1978;121(10):16-8.
230. Grauaug AA, Tompkins JR. The KEMH method for securing umbilical catheters. J Paediatr Child Health. 1992;28(6):436-7.
231. Green C, Yohannan MD. Umbilical arterial and venous catheters: placement, use, and complications. Neonatal network : NN. 1998;17(6):23-8.
232. Green JS, Lamont AC. Pulmonary complications of umbilical venous catheters. Pediatr Radiol. 1996;26(3):239.
233. Greenberg M, Movahed H, Peterson B, Bejar R. Placement of umbilical venous catheters with use of bedside real-time ultrasonography. The Journal of pediatrics. 1995;126(4):633-5.
234. Greenhalgh M, Gordon A. Risk of CLABSI in neonates by PICC line dwell time. Journal of Paediatrics and Child Health. 2014;50:86.
235. Grigovich IN, Savchuk OB, Khusu EP, Moriakova VV. [Complications in the use of the umbilical vessels for infusions in newborn infants]. Khirurgiia (Mosk). 1988(7):116-20.
236. Grizelj R, Vukovic J, Bojanic K, Loncarevic D, Stern-Padovan R, Filipovic-Grcic B, et al. Severe Liver Injury while Using Umbilical Venous Catheter: Case Series and Literature Review. American journal of perinatology. 2014;31(11):965-74.
237. Guimaraes H, Castelo L, Guimaraes J, Cardoso A, d'Orey C, Mateus M, et al. Does umbilical vein catheterization to exchange transfusion lead to portal vein thrombosis? European journal of pediatrics. 1998;157(6):461-3.
238. Gülcen H, Hanta D, Törer B, Temiz A, Demir Ş. Hepatic laceration as a life-threatening complication of umbilical venous catheterization. The Turkish journal of pediatrics. 2011;53:342-5.

239. Gunda RK, Sharma A. 0148 Combination Of Technology Enhanced Learning, Simulation And Procedural Skills Training – ‘an Open Approach’ To Improve Care. *BMJ Simulation and Technology Enhanced Learning*. 2014;1(Suppl 1):A75.
240. Gupta AO, Peesay MR, Ramasethu J. Simple measurements to place umbilical catheters using surface anatomy. *Journal of perinatology : official journal of the California Perinatal Association*. 2015.
241. Guzoglu N, Erdeve O, Yilmaz Y, Dilmen U. Intraperitoneal extravasation from umbilical venous catheter in differential diagnosis of neonatal chylous ascites. *Acta paediatrica (Oslo, Norway : 1992)*. 2010;99(9):1284.
242. Haafiz A, Williams JL, Andres JM, Novak DA. A newborn liver mass that never existed: a somber reminder of embryonic ties between umbilical vein and portal venous system. *Hepatic medicine : evidence and research*. 2011;3:107-8.
243. Haase R, Hein M, Thäle V, Vilser C, Merkel N. [Umbilical venous catheters-analysis of malpositioning over a 10-year period]. *Zeitschrift fur Geburtshilfe und Neonatologie*. 2011;215(1):18-22.
244. Haass C, Sorrentino E, Tempera A, Consigli C, De Paola D, Calcagni G, et al. Cardiac tamponade and bilateral pleural effusion in a very low birth weight infant. *Journal of Maternal-Fetal & Neonatal Medicine*. 2011;22(2):137-9.
245. Haddad H, Lee KS, Higgins A, McMillan D, Price V, El-Naggar W. Routine surveillance ultrasound for the management of central venous catheters in neonates. *J Pediatr*. 2014;164(1):118-22.
246. Hagerott HE, Kulkarni S, Restrepo R, Reeves-Garcia J. Clinical-radiologic features and treatment of hepatic lesions caused by inadvertent infusion of parenteral nutrition in liver parenchyma due to malposition of umbilical vein catheters. *Pediatric radiology*. 2014;44(7):810-5.
247. Hall RT, Rhodes PG. Total parenteral alimentation via indwelling umbilical catheters in the newborn period. *Archives of disease in childhood*. 1976;51(12):929-34.
248. Hannam S, Hasib A, McCarthy L. Confusion over markings on a percutaneous long line. *European journal of pediatrics*. 2008;167(4):455.
249. Hansen TW. [Percutaneous central venous catheters in neonates]. *Tidsskrift for den Norske laegeforening : tidsskrift for praktisk medicin, ny raekke*. 1992;112(6):776-7.
250. Harabor A, Soraisham A. Rates of intracardiac umbilical venous catheter placement in neonates. *Journal of ultrasound in medicine : official journal of the American Institute of Ultrasound in Medicine*. 2014;33(9):1557-61.
251. Harms K, Herting E, Kruger T, Compagnone D, Speer CP. [Percutaneous Silastic catheters in newborn and premature infants. A report of experiences with 497 catheters in 5 years]. *Monatsschrift fur Kinderheilkunde*. 1992;140(8):464-71.
252. Haumont D, de Beauregard VG, Van Herreweghe I, Delanghe G, Ciardelli R, Haelterman E. A new technique for transumbilical insertion of central venous silicone catheters in newborn infants. *Acta paediatrica (Oslo, Norway : 1992)*. 2008;97(7):988-90.
253. Hayek HW, Weissenbacher G. [On the position of umbilical vein catheters; their use in clinical routine work]. *Zeitschrift fur Kinderheilkunde*. 1969;106(3):235-48.
254. Hayek HW, Weissenbacher G, Keuth U. [Comments on U. Keuth et al.: "Position of umbilical vein catheter (roentgen analysis of 200 cases from routine clinical work)", Mschr. Khk. 120, 175, 1972]. *Monatsschrift fur Kinderheilkunde*. 1973;121(1):36.
255. Hearn RI, Fenton AC. Neonatal percutaneous line tip position on supine radiography isn't always enough to verify position. *BMJ case reports*. 2011;2011.
256. Hecker JF. Thrombogenicity of tips of umbilical catheters. *Pediatrics*. 1981;67(4):467-71.

257. Helder O, Kornelisse R, van der Starre C, Tibboel D, Loosman C, Wijnen R, et al. Implementation of a children's hospital-wide central venous catheter insertion and maintenance bundle. *BMC Health Services Research*. 2013;13:417.
258. Hemels MA, van den Hoogen A, Verboon-Maciolek MA, Fleer A, Krediet TG. Prevention of neonatal late-onset sepsis associated with the removal of percutaneously inserted central venous catheters in preterm infants. *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*. 2011;12(4):445-8.
259. Hermansen MC, Hermansen MG. Intravascular catheter complications in the neonatal intensive care unit. *Clinics in perinatology*. 2005;32(1):141-56, vii.
260. Hernandez Rastrollo R, Agulla Rodino E, Martinez Tallo EM, Espinosa Ruiz-Cabal J, Mediero Almendros J. [Prospective study of infective complications in newborns with fine silicone catheters used for parenteral nutrition infusion]. *Anales espanoles de pediatria*. 1996;45(6):626-30.
261. Hindley DT, Lewis MA, Robinson MJ. Method for securing umbilical lines. *Archives of Disease in Childhood - Fetal and Neonatal Edition*. 1994;70(1):F79-F80.
262. Hinson RM, Naulty C. Use of central venous catheters is common in neonatal intensive care units. *Journal of perinatology : official journal of the California Perinatal Association*. 1995;15(6):519.
263. Hiradfar M, Joodi M, Gharavi M, Shojaeian R. Removal of an Umbilical Catheter Migrated into the Neck in a Neonate: Report of Case. *IJN*. 2011;2(2):43-6.
264. Hoang V, Sills J, Chandler M, Busalani E, Clifton-Koeppel R, Modanlou HD. Percutaneously inserted central catheter for total parenteral nutrition in neonates: complications rates related to upper versus lower extremity insertion. *Pediatrics*. 2008;121(5):e1152-9.
265. Hoellering AB, Koorts PJ, Cartwright DW, Davies MW. Determination of umbilical venous catheter tip position with radiograph. *Pediatric Critical Care Medicine*. 2014;15(1):56-61.
266. Hogan MJ. Neonatal vascular catheters and their complications. *Radiologic clinics of North America*. 1999;37(6):1109-25.
267. Hollingsworth C, Clarke P, Sharma A, Upton M. National survey of umbilical venous catheterisation practices in the wake of two deaths. *Archives of Disease in Childhood - Fetal and Neonatal Edition*. 2015.
268. Holton D, Paton S, Conly J, Embree J, Taylor G, Thompson W. Central venous catheter-associated bloodstream infections occurring in Canadian intensive care units: A six-month cohort study. *The Canadian journal of infectious diseases & medical microbiology = Journal canadien des maladies infectieuses et de la microbiologie medicale / AMMI Canada*. 2006;17(3):169-76.
269. Holzmann-Pazgal G, Kubanda A, Davis K, Khan AM, Brumley K, Denson SE. Utilizing a line maintenance team to reduce central-line-associated bloodstream infections in a neonatal intensive care unit. *Journal of perinatology : official journal of the California Perinatal Association*. 2012;32(4):281-6.
270. Hong EJ, Lee KA, Bae I-H, Kim M-J, Han H-S. Umbilical venous line-related pleural and pericardial effusion causing cardiac tamponade in a premature neonate: A case report. *Korean journal of pediatrics*. 2006;49(6):686-90.
271. Hosseinpour M, Mashadi MR, Behdad S, Azarbad Z. Central venous catheterization in neonates: Comparison of complications with percutaneous and open surgical methods. *Journal of Indian Association of Pediatric Surgeons*. 2011;16(3):99-101.
272. Houshmandi M. Dunn method suitability in umbilical catheter length prediction on Newborns compared to Shukla. *Asian J Med Pharm Res*. 2014;4(2):85-133.

273. Hruszkewycz V, Holtrop PC, Batton DG, Morden RS, Gibson P, Band JD. Complications associated with central venous catheters inserted in critically ill neonates. *Infection control and hospital epidemiology*. 1991;12(9):544-8.
274. Hui J, Lo K, Lo J, Chan M, Chan J. Neonatal total parenteral nutrition ascites secondary to umbilical venous catheterization. *J Hong Kong Coll Radiol*. 2001;4:288-90.
275. Humar A, Ostromecki A, Direnfeld J, Marshall JC, Lazar N, Houston PC, et al. Prospective randomized trial of 10% povidone-iodine versus 0.5% tincture of chlorhexidine as cutaneous antisepsis for prevention of central venous catheter infection. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 2000;31(4):1001-7.
276. Ihm K, Bosk A, Szavay P, Schaefer J, Hofbeck M. Sepsis and lung abscess following malposition of an umbilical vein catheter in a neonate. *Klinische Padiatrie*. 2008;221(2):76-7.
277. Inagawa G, Ka K, Tanaka Y, Kato K, Tanaka M, Miwa T, et al. The carina is not a landmark for central venous catheter placement in neonates. *Paediatric anaesthesia*. 2007;17(10):968-71.
278. Isemann B, Sorrels R, Akinbi H. Effect of heparin and other factors associated with complications of peripherally inserted central venous catheters in neonates. *Journal of perinatology : official journal of the California Perinatal Association*. 2012;32(11):856-60.
279. Iyer VHA, Sharma DM, Charki S, Mohanty PK. Cardiac tamponade in a neonate: a dreadful condition—need for functional echo. *BMJ case reports*. 2014;2014.
280. Jacobson Z, Strom J. Pericardial tamponade complicating central venous catheterization in an infant with very low birth weight: the role of echocardiography in diagnosis and treatment. *Heart disease (Hagerstown, Md)*. 1999;1(3):133-5.
281. Jain A, Deshpande P, Shah P. Peripherally inserted central catheter tip position and risk of associated complications in neonates. *Journal of perinatology : official journal of the California Perinatal Association*. 2013;33(4):307-12.
282. Jain A, McNamara PJ, Ng E, El-Khuffash A. The use of targeted neonatal echocardiography to confirm placement of peripherally inserted central catheters in neonates. *Am J Perinatol*. 2012;29(2):101-6.
283. Jamieson DH. Focal hepatic lesions in neonates. *Pediatric radiology*. 2006;36(5):468-.
284. Janes M, Kalyn A, Pinelli J, Paes B. A randomized trial comparing peripherally inserted central venous catheters and peripheral intravenous catheters in infants with very low birth weight. *Journal of pediatric surgery*. 2000;35(7):1040-4.
285. Jardine LA, Inglis GD, Davies MW. Aspiration of parenteral nutrition -- a previously unreported complication of central venous access in an infant: a case report. *Journal of medical case reports*. 2008;2:63.
286. Jenkins RD, Kuhn RJ, Funk JE. Clinical implications of catheter variability on neonatal continuous arteriovenous hemofiltration. *ASAIO transactions / American Society for Artificial Internal Organs*. 1988;34(2):108-11.
287. Jin J, Chen C, Zhao R, Li A, Shentu Y, Jiang N. Repositioning techniques of malpositioned peripherally inserted central catheters. *J Clin Nurs*. 2013;22(13-14):1791-804.
288. Johann DA, De Lazzari LS, Pedrolo E, Mingorance P, de Almeida TQ, Danski MT. [Peripherally inserted central catheter care in neonates: an integrative literature review]. *Revista da Escola de Enfermagem da U S P*. 2012;46(6):1503-11.
289. Johns AW, Kitchen WH, Leslie DW. Complications of umbilical vessel catheters. *The Medical journal of Australia*. 1972;2(15):810-5.
290. Johnston AJ, Bishop SM, Martin L, See TC, Streater CT. Defining peripherally inserted central catheter tip position and an evaluation of insertions in one unit. *Anaesthesia*. 2013;68(5):484-91.

291. Jouvencel P, Tourneux P, Perez T, Sauret A, Nelson JR, Brissaud O, et al. [Central catheters and pericardial effusion: results of a multicentric retrospective study]. Archives de pediatrie : organe officiel de la Societe francaise de pediatrie. 2005;12(10):1456-61.
292. Junker P, Egeblad M, Nielsen O, Kamper J. Umbilical vein catheterization and portal hypertension. Acta paediatrica Scandinavica. 1976;65(4):499-504.
293. Kabra NS, Kluckow MR. Survival after an acute pericardial tamponade as a result of percutaneously inserted central venous catheter in a preterm neonate. Indian journal of pediatrics. 2001;68(7):677-80.
294. Kabra NS, Kumar M, Shah SS. Multiple versus single lumen umbilical venous catheters for newborn infants. The Cochrane database of systematic reviews. 2005(3):Cd004498.
295. Kalra VK, Arora P, Lua J. Spontaneous fracture and migration of distal segment of a peripherally inserted central venous catheter to heart in a neonate. J Vasc Access. 2012;13(3):403.
296. Kamala F, Boo NY, Cheah FC, Birinder K. Randomized controlled trial of heparin for prevention of blockage of peripherally inserted central catheters in neonates. Acta paediatrica (Oslo, Norway : 1992). 2002;91(12):1350-6.
297. Kanto WP, Parrish RA. Perforation of the peritoneum and intra-abdominal hemorrhage: a complication of umbilical vein catheterizations. American Journal of Diseases of Children. 1977;131(10):1102-3.
298. Karam SE, Haddad J, Abou Charaf C, Saliba Z, Chehab G, Hatem J. [Pericardial effusion in the neonate: a complication of umbilical catheters]. Archives de pediatrie : organe officiel de la Societe francaise de pediatrie. 2003;10(6):550-1.
299. Karpanen TJ, Worthington T, Conway BR, Hilton AC, Elliott TS, Lambert PA. Permeation of chlorhexidine from alcoholic and aqueous solutions within excised human skin. Antimicrobial agents and chemotherapy. 2009;53(4):1717-9.
300. Katheria A, Fleming S, Kim J. A randomized controlled trial of ultrasound-guided peripherally inserted central catheters compared with standard radiograph in neonates. Journal of Perinatology. 2013;33(10):791-4.
301. Kayashima K, Imai K. Evaluation of Mechanical Complications During Pediatric Central Venous Catheter Placement from 1994 to 2013. International Journal of Anesthesiology Research. 2013;1(1):36-46.
302. KEBUDI R, UGUR S, ÇELENK A, UZEL N. Intrahepatic hematoma: A rare complication of exchange transfusion. Pediatric emergency care. 1991;7(1):21-3.
303. Keeney SE, Richardson CJ. Extravascular extravasation of fluid as a complication of central venous lines in the neonate. Journal of perinatology : official journal of the California Perinatal Association. 1995;15(4):284-8.
304. Keir A, Giesinger R, Dunn M. How long should umbilical venous catheters remain in place in neonates who require long-term (\geq 5–7 days) central venous access? Journal of paediatrics and child health. 2014;50(8):649-52.
305. Kellam B, Fraze DE, Kanarek KS. Central line dressing material and neonatal skin integrity. Nutrition in clinical practice : official publication of the American Society for Parenteral and Enteral Nutrition. 1988;3(2):65-8.
306. Kerstan J, Lenz W, el-Hamid S. [Central venous catheterization--experiences in neonatal intensive medicine based on scanning electron microscopy study of Silastic catheters]. Klin Padiatr. 1985;197(2):111-5.
307. Kessler RE, Tice DA, Zimmon DS. Preliminary report: a new umbilical vein catheter. The Journal of surgical research. 1974;17(4):269-70.
308. Kessler RE, Zimmon DS. Umbilical vein catheterization in man. Surgery, gynecology & obstetrics. 1967;124(3):594-7.

309. Keuth U, Conter C, Wilhelmi J. [The position of umbilical vein catheters (x-ray analysis of 200 routine cases)]. Monatsschrift fur Kinderheilkunde. 1972;120(5):175-9.
310. Khaladkar S, Gujarathi A, Kulkarni V, Singh A. Hepatic necrosis due to the umbilical vein catheter malposition: A case report with review of literature. Medical Journal of Dr DY Patil University. 2014;7(6):793.
311. KHILNANI P, GOLDSTEIN B, TODRES ID. Double lumen umbilical venous catheters in critically ill neonates: A randomized prospective study. Critical care medicine. 1991;19(11):1348-51.
312. Kieran EA, Laffan EE, O'Donnell CP. Estimating umbilical catheter insertion depth in newborns using weight or body measurement: a randomised trial. Archives of Disease in Childhood-Fetal and Neonatal Edition. 2015:fetalneonatal-2014-307668.
313. Kieran EA, O'Donnell CP. Accuracy of length measurements on neonatal umbilical catheters. Archives of Disease in Childhood-Fetal and Neonatal Edition. 2014;99(6):F520-F1.
314. Kim JH, Lee YS, Kim SH, Lee SK, Lim MK, Kim HS. Does umbilical vein catheterization lead to portal venous thrombosis? Prospective US evaluation in 100 neonates. Radiology. 2001;219(3):645-50.
315. Kime T, Mohsini K, Nwankwo MU, Turner B. Central line "attention" is their best prevention. Advances in neonatal care : official journal of the National Association of Neonatal Nurses. 2011;11(4):242-8; quiz 9-50.
316. King DS, da Cruz E, Kaufman J. A model for a nurse-led programme of bedside placement of peripherally inserted central catheters in neonates and infants with congenital cardiac disease. Cardiology in the young. 2010;20(3):302-7.
317. Kitterman JA. Fatal air embolism through an umbilical venous catheter. European journal of pediatrics. 1979;131(1):71-3.
318. Kitterman JA. Umbilical venous catheter vs umbilical artery catheter. Pediatrics. 1990;86(3):495.
319. Kitterman JA, Phibbs RH, Tooley WH. Catheterization of umbilical vessels in newborn infants. Pediatr Clin North Am. 1970;17(4):895-912.
320. Klein JF, Shahrivar F. Use of percutaneous silastic central venous catheters in neonates and the management of infectious complications. Am J Perinatol. 1992;9(4):261-4.
321. Kohli V, Joshi R. Central line retrieval in a neonate. Indian journal of pediatrics. 2007;74(7):692-3.
322. Koopmans NG, Potgieter S, Kwee WS. [Serious complications of umbilical venous catheterisation]. Nederlands tijdschrift voor geneeskunde. 2008;152(5):290-1; author reply 1.
323. Korver A, Walther F, van der Molen A, de Beaufort A. [Serious complications of umbilical venous catheterisation]. Nederlands tijdschrift voor geneeskunde. 2007;151(40):2219-23.
324. Kotter RW. Heparin vs saline for intermittent intravenous device maintenance in neonates. Neonatal network : NN. 1996;15(6):43-7.
325. Krauss AN, Albert RF, Kannan MM. Contamination of umbilical catheters in the newborn infant. J Pediatr. 1970;77(6):965-9.
326. Kruse-Ruijter M, Robben S, Degraeuwe P. Hydrocoele and periorchitis after extravasation of parenteral nutrition solution. Archives of Disease in Childhood-Fetal and Neonatal Edition. 2011:fetalneonatal210914.
327. Krzaklewski S, Nolis J. [Use of plastic catheters for the catheterization of the umbilical vein in newborn and premature infants]. Polimery w medycynie. 1975;5(2):133-7.
328. Kulkarni PB, Dorand RD. Hydrothorax: A complication of intracardiac placement of umbilical venous catheter. The Journal of pediatrics. 1979;94(5):813-5.
329. Kumar N, Uhing MR, Powell M. Congenital absence of ductus venosus: an umbilical catheter with an abnormal path. Journal of perinatology : official journal of the California Perinatal Association. 2009;29(9):646-8.

330. Kuschel CA, Bach KP, Webster NJ, Page B, Groves AM, Battin MR. The reliability of 2D and colour Doppler ultrasound in localising longline position. *J Paediatr Child Health*. 2008;44(9):483-7.
331. Kutsch J, Ottlinger D. Neonatal skin and chlorhexidine: a burning experience. *Neonatal network : NN*. 2014;33(1):19-23.
332. Lachassinne E, Letamendia-Richard E, Gaudelus J. [Epidemiology of nosocomial infections in neonates]. *Archives de pediatrie : organe officiel de la Societe francaise de pediatrie*. 2004;11(3):229-33.
333. Lally KP, Hardin WD, Jr., Boettcher M, Shah SI, Mahour GH. Broviac catheter insertion: operating room or neonatal intensive care unit. *Journal of pediatric surgery*. 1987;22(9):823-4.
334. Lam HS, Li AM, Chu WC, Yeung CK, Fok TF, Ng PC. Mal-positioned umbilical venous catheter causing liver abscess in a preterm infant. *Biol Neonate*. 2005;88(1):54-6.
335. Larroche JC. [Complications and accidents during arterial and venous umbilical catheterization. Anatomical study]. *Archives francaises de pediatrie*. 1969;26(10):1065-83.
336. Larroche JC. Umbilical catheterization: its complications. *Neonatology*. 1970;16(1-3):101-16.
337. Larroche JC. Umbilical catheterization: its complications. Anatomical study. *Biol Neonate*. 1970;16(1):101-16.
338. Lashkari HP, Chow P, Godambe S. Aqueous 2% chlorhexidine-induced chemical burns in an extremely premature infant. *Archives of disease in childhood Fetal and neonatal edition*. 2012;97(1):F64.
339. Lau CE. Transparent and gauze dressings and their effect on infection rates of central venous catheters: a review of past and current literature. *J Intraven Nurs*. 1996;19(5):240-5.
340. Laurin S. [Significance of checking the position of umbilical catheters in the newborn infant]. *Lakartidningen*. 1975;72(50):4985-8.
341. Lawrenz-Wolf B, Herrmann B. [Pericardial tamponade caused by catheter infection in an extremely small premature infant]. *Monatsschrift fur Kinderheilkunde*. 1993;141(12):932-5.
342. Lee HN, Kwon SH, Oh JH. Successful Transumbilical Retrieval of a Broken Umbilical Venous Catheter in a 1-day-old New Born Baby. *Cardiovasc Intervent Radiol*. 2014.
343. Lee KH, Cho HJ, Kim EY, Son DW, Kim HS, Choi HY, et al. Variation Between Residents and Attending Staff Interpreting Radiographs to Verify Placement of Nutrition Access Devices in the Neonatal Intensive Care Unit. *Nutrition in clinical practice : official publication of the American Society for Parenteral and Enteral Nutrition*. 2014.
344. Legemaat M, Jongerden I, Van den Hoogen A, Zielman M. Effect of a Vascular Access Team on Central-Line Associated Bloodstream Infections in Infants Admitted to a Neonatal Intensive Care Unit; A Systematic Review. *Journal of Vascular Access*. 2014;15(3):197-8.
345. Leick-Rude MK. Use of percutaneous silastic intravascular catheters in high-risk neonates. *Neonatal network : NN*. 1990;9(1):17-25.
346. Leick-Rude MK, Haney B. Midline catheter use in the intensive care nursery. *Neonatal network : NN*. 2006;25(3):189-99.
347. Leipala JA, Petaja J, Fellman V. Perforation complications of percutaneous central venous catheters in very low birthweight infants. *J Paediatr Child Health*. 2001;37(2):168-71.
348. Leistner R, Thurnagel S, Schwab F, Piening B, Gastmeier P, Geffers C. The impact of staffing on central venous catheter-associated bloodstream infections in preterm neonates - results of nation-wide cohort study in Germany. *Antimicrobial resistance and infection control*. 2013;2(1):11.

349. Lemarie C, Savagner C, Leboucher B, Le Bouedec S, Six P, Branger B. [Central-venous-catheter-related bacteremia in neonatology]. *Medecine et maladies infectieuses*. 2006;36(4):213-8.
350. Lemus-Varela Mde L, Arriaga-Davila Jde J, Salinas-Lopez MP, Gomez-Vargas JR. [Cardiac tamponade in the neonate as a complication of a central venous catheter. Case report]. *Gaceta medica de Mexico*. 2004;140(4):455-61.
351. Lesser E, Chhabra R, Brion LP, Suresh BR. Use of midline catheters in low birth weight infants. *Journal of perinatology : official journal of the California Perinatal Association*. 1996;16(3 Pt 1):205-7.
352. Leung TK, Chang CP, Lee CM, Shen LK. Retrospective study of the total insertion period of peripherally inserted central catheter: discussion of anti-thrombogenic surface and other biomaterial requirements. *Biomed Mater Eng*. 2006;16(3):183-8.
353. Levkoff A, Macpherson R. Intrahepatic encystment of umbilical vein catheter infusate. *Pediatric radiology*. 1990;20(5):360-1.
354. Levy I, Katz J, Solter E, Samra Z, Vidne B, Birk E, et al. Chlorhexidine-impregnated dressing for prevention of colonization of central venous catheters in infants and children: a randomized controlled study. *The Pediatric infectious disease journal*. 2005;24(8):676-9.
355. L'Heriteau F, Lacave L, Leboucher B, Decousser JW, De Chillaz C, Astagneau P, et al. [NEOCAT, surveillance network of catheter-related bloodstream infections in neonates: 2010 data]. *Archives de pediatrie : organe officiel de la Societe francaise de pediatrie*. 2012;19(9):984-9.
356. Liao CH, Sy LB, Tsou KI. Umbilical vein catheter malposition: report of one case. *Acta paediatrica Taiwanica = Taiwan er ke yi xue hui za zhi*. 2003;44(1):38-40.
357. Lim-Dunham JE, Duncan CN, Yousefzadeh DK, Ben-Ami T. Retroperitoneal abscess and mycotic aortic aneurysm: unusual septic complications of central vascular line placement in premature infants. *Journal of ultrasound in medicine : official journal of the American Institute of Ultrasound in Medicine*. 2001;20(7):791-4.
358. Lim-Dunham JE, Vade A, Capitano HN, Muraskas J. Characteristic sonographic findings of hepatic erosion by umbilical vein catheters. *Journal of ultrasound in medicine*. 2007;26(5):661-6.
359. Linck DA, Donze A, Hamvas A. Neonatal peripherally inserted central catheter team. Evolution and outcomes of a bedside-nurse-designed program. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses*. 2007;7(1):22-9.
360. Linder N, Prince S, Barzilai A, Keller N, Klinger G, Shalit I, et al. Disinfection with 10% povidone-iodine versus 0.5% chlorhexidine gluconate in 70% isopropanol in the neonatal intensive care unit. *Acta paediatrica (Oslo, Norway : 1992)*. 2004;93(2):205-10.
361. Lindrea K, Shein D, Kong J, Bowen J, Evans N. Standardisation of insertion of peripherally inserted central catheters (PICCS) using professional video recording as a teaching aid: A product of state-wide collaboration. *Journal of Paediatrics and Child Health*. 2013;49:88.
362. Liossis G, Bardin C, Papageorgiou A. Comparison of risks from percutaneous central venous catheters and peripheral lines in infants of extremely low birth weight: a cohort controlled study of infants < 1000 g. *The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstet*. 2003;13(3):171-4.
363. Little DC, Petty M, Beeram MR. Emergent pericardiocentesis through a percutaneous silastic catheter in a premature infant: case report. *Clin Pediatr (Phila)*. 2004;43(4):383-7.
364. Liu X, Suresh G. Central vascular catheter insertion in the NICU: a Lean approach. *Neonatal network : NN*. 2014;33(4):185-93.

365. Loeff DS, Matlak ME, Black RE, Overall JC, Dolcourt JL, Johnson DG. Insertion of a small central venous catheter in neonates and young infants. *Journal of pediatric surgery*. 1982;17(6):944-9.
366. Loisel DB, Smith MM, MacDonald MG, Martin GR. Intravenous access in newborn infants: impact of extended umbilical venous catheter use on requirement for peripheral venous lines. *Journal of perinatology : official journal of the California Perinatal Association*. 1996;16(6):461-6.
367. Lombardi S, Scutell M, Felice V, Di Campli E, Di Giulio M, Cellini L. Central vascular catheter infections in a Hospital of Central Italy. *The new microbiologica*. 2014;37(1):41-50.
368. Lopez Sastre JL, Fernandez Colomer B, Coto Cotallo GD, Ramos Aparicio A. [Prospective evaluation of percutaneous central venous catheters in newborn infants. Castrillo Hospital Group]. *Anales espanoles de pediatria*. 2000;53(2):138-47.
369. Lopriore E, Verheij GH, Walther FJ. Measurement of the 'shoulder-umbilical' distance for insertion of umbilical catheters in newborn babies: questionnaire study. *Neonatology*. 2008;94(1):35-7.
370. Loughran SC, Edwards S, McClure S. Peripherally inserted central catheters. Guidewire versus nonguidewire use: a comparative study. *J Intraven Nurs*. 1992;15(3):152-9.
371. Lourenco SA, Ohara CV. Nurses knowledge about the insertion procedure for peripherally inserted central catheters in newborns. *Revista latino-americana de enfermagem*. 2010;18(2):189-95.
372. Lun K, Lee W. Case Report Cardiac Tamponade Secondary to Umbilical Vein Catheterization in a Premature Newborn: A Case Report 痘例報告: 早產新生兒的臍靜脈導管法併發心臟填塞. *HK J Paediatr (New Series)*. 2002;7(2):98-100.
373. Lund C, Kuller J, Lane A, Wright Lott J, Raines DA. Neonatal skin care: the scientific basis for practice. *Neonatal Network: The Journal of Neonatal Nursing*. 1999;18(4):15-27.
374. Lussky RC. Radiology casebook. Unusual misplacement sites for central venous catheters: three case reports. *Journal of perinatology : official journal of the California Perinatal Association*. 2000;20(8 Pt 1):562-4.
375. Lussky RC, Trower N, Fisher D, Engel R, Cifuentes R. Unusual misplacement sites of percutaneous central venous lines in the very low birth weight neonate. *Am J Perinatol*. 1997;14(2):63-7.
376. Luz O, Frisch H. [Percutaneously implanted silastic catheters in the neonate]. *Padiatr Padol*. 1985;20(3):243-8.
377. Ma M, Garingo A, Jensen AR, Bliss D, Friedlich P. Complication risks associated with lower versus upper extremity peripherally inserted central venous catheters in neonates with gastroschisis. *Journal of pediatric surgery*. 2015;50(4):556-8.
378. Maas A, Flament P, Pardou A, Deplano A, Dramaix M, Struelens MJ. Central venous catheter-related bacteraemia in critically ill neonates: risk factors and impact of a prevention programme. *The Journal of hospital infection*. 1998;40(3):211-24.
379. MacDonald MG, Ramasethu J, Rais-Bahrami K. *Atlas of procedures in neonatology*: Lippincott Williams & Wilkins; 2012.
380. Mactier H, Alroomi LG, Young DG, Raine PA. Central venous catheterisation in very low birthweight infants. *Arch Dis Child*. 1986;61(5):449-53.
381. Madar R, Deshpande S. Reappraisal of ultrasound imaging of neonatal intravascular catheters. *Archives of Disease in Childhood-Fetal and Neonatal Edition*. 1996;75(1):F62-F4.
382. Madhavi P, Jameson R, Robinson MJ. Unilateral pleural effusion complicating central venous catheterisation. *Archives of disease in childhood Fetal and neonatal edition*. 2000;82(3):F248-9.
383. Madhok AB, Chabba M, Lourdes C. Unusual complication of umbilical venous catheterization leads to pericardial tamponade. *Internet J Pediatr Neonatology*. 2002;2.

384. Magnan JP. Umbilical Vein Catheterization.
385. Mahajan V, Rahman A, Tarawneh A, Sant'anna GM. Liver fluid collection in neonates and its association with the use of a specific umbilical vein catheter: Report of five cases. *Paediatrics & child health*. 2011;16(1):13-5.
386. Mahieu LM, De Dooy JJ, De Muynck AO, Van Melckebeke G, Ieven MM, Van Reempts PJ. Microbiology and risk factors for catheter exit-site and -hub colonization in neonatal intensive care unit patients. *Infection control and hospital epidemiology*. 2001;22(6):357-62.
387. Mahieu LM, De Dooy JJ, Lenaerts AE, Ieven MM, De Muynck AO. Catheter manipulations and the risk of catheter-associated bloodstream infection in neonatal intensive care unit patients. *Journal of Hospital Infection*. 48(1):20-6.
388. Majidipour N, Abdeyazdan Z, Zargham-Boroujeni A. Chlorhexidine or povidone-iodine: Which solution is more effective on skin colonization in neonates? *Iranian journal of nursing and midwifery research*. 2013;18(1):54-8.
389. Maki DG, Ringer M, Alvarado CJ. Prospective randomised trial of povidone-iodine, alcohol, and chlorhexidine for prevention of infection associated with central venous and arterial catheters. *Lancet*. 1991;338(8763):339-43.
390. Makwana N, Lander A, Buick R, Kumararatne B. Unusual complication of a central venous line in a neonate. *Archives of disease in childhood Fetal and neonatal edition*. 2003;88(5):F440.
391. Malathi I, Millar MR, Leeming JP, Hedges A, Marlow N. Skin disinfection in preterm infants. *Arch Dis Child*. 1993;69(3 Spec No):312-6.
392. Maleux G, Hoffman I, Heye S, Cassiman D. Focal portal vein stenosis in an adolescent potentially related to complicated umbilical catheter insertion in the neonatal period. *Acta radiologica short reports*. 2013;2(4):2047981613492723.
393. Malliwal R, Akhtar M. Neonatal chest and abdominal radiograph: identification of tubes and lines. *BMJ*. 2014;349:g6074.
394. Manzar S. Percutaneous central venous catheter placement. *Hospital medicine*. 1999;60(12):914.
395. Marshall M. Radiographic assessment of umbilical venous and arterial catheter tip location. *Neonatal network : NN*. 2014;33(4):208-16.
396. Martin JR. A double catheter technique for exchange transfusion in the newborn infant. *The New Zealand medical journal*. 1973;77(490):167-9.
397. Maruyama K, Koizumi T. Hydromediastinum associated with a peripherally inserted central venous catheter in a newborn infant. *Journal of clinical ultrasound : JCU*. 2006;34(4):195-8.
398. McCay AS, Elliott EC, Walden M. Videos in clinical medicine. PICC placement in the neonate. *The New England journal of medicine*. 2014;370(11):e17.
399. McCoy M, Bedwell S, Noori S. Exchange of peripherally inserted central catheters is associated with an increased risk for bloodstream infection. *Am J Perinatol*. 2011;28(6):419-24.
400. Meberg A. [Malpositioning of umbilical vessel catheters]. *Tidsskrift for den Norske laegeforening : tidsskrift for praktisk medicin, ny raekke*. 2010;130(16):1618-21.
401. Meeks SL, Ciambotti JM, Rodgers BM, Gordon PV. Extravasation of hyperalimentation into the liver parenchyma from a peripherally inserted central catheter. *Journal of pediatric surgery*. 2003;38(4):E8.
402. Megha M, Jain N, Pillai R. Pericardial tamponade in a newborn following umbilical catheter insertion. *Indian pediatrics*. 2011;48(5):404-5.
403. Mehta NM, Nicholl RM. Positioning of long lines. *Archives of disease in childhood Fetal and neonatal edition*. 2002;86(1):F68-9.

404. Melki I, Faraj G, Khoury P. [Percutaneous central venous catheters in neonatal intensive care. Personal experience]. Le Journal medical libanais The Lebanese medical journal. 1993;41(4):213-7.
405. Menon G. Neonatal long lines. Archives of Disease in Childhood - Fetal and Neonatal Edition. 2003;88(4):F260-F2.
406. Mertens L, Seri I, Marek J, Arlettaz R, Barker P, McNamara P, et al. Targeted Neonatal Echocardiography in the Neonatal Intensive Care Unit: Practice Guidelines and Recommendations for Training 2011 2011-10-01 00:00:00. 715-36 p.
407. M'Hamdi K, Kabiri M, Karboubi L, Ghanimi Z, Barkat A. [Neonatal liver abscess after umbilical venous catheter]. Archives de pediatrie : organe officiel de la Societe francaise de pediatrie. 2013;20(2):196-8.
408. Michel F, Brevaut-Malaty V, Pasquali R, Thomachot L, Vialet R, Hassid S, et al. Comparison of ultrasound and X-ray in determining the position of umbilical venous catheters. Resuscitation. 2012;83(6):705-9.
409. Michel F, Dejode JM, Vialet R, Nicaise C, Thomachot L, Di Marco JN, et al. Tunneled central venous catheter for neonates: A simple technique for prolonged indwelling central catheters in intensive care. Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies. 2007;8(1):37-9.
410. Mickler PA. Neonatal and pediatric perspectives in PICC placement. Journal of infusion nursing : the official publication of the Infusion Nurses Society. 2008;31(5):282-5.
411. Milstone AM, Reich NG, Advani S, Yuan G, Bryant K, Coffin SE, et al. Catheter dwell time and CLABSIs in neonates with PICCs: a multicenter cohort study. Pediatrics. 2013;132(6):e1609-15.
412. Mimo O, Villeminey S, Ragot S, Dahyot-Fizelier C, Laksiri L, Petitpas F, et al. Chlorhexidine-based antiseptic solution vs alcohol-based povidone-iodine for central venous catheter care. Arch Intern Med. 2007;167(19):2066-72.
413. Min SR, Lee HS. Comparison of Wright's Formula and the Dunn Method for Measuring the Umbilical Arterial Catheter Insertion Length. Pediatrics and neonatology. 2014.
414. Miranda D, Lucas D, Finegold MJ. [Complications of umbilical vessel catheterization. Study of 100 necropsies of catheterized patients]. AMB Rev Assoc Med Bras. 1974;20(7):255-7.
415. Mistri J, Richards K, Vallabhaneni P, Nittur S, Mansour M. Neonatal invasive lines - Reducing the risks. Archives of Disease in Childhood: Fetal and Neonatal Edition. 2011;96:Fa41.
416. Mitsufuji N, Matsuo K, Kakita S, Ikuta H. Extravascular collection of fluid around the vertebra resulting from malpositioning of a peripherally inserted central venous catheter in extremely low birth weight infants. Journal of perinatal medicine. 2002;30(4):341-4.
417. Moeckel D, Cresalia N, Vachharajani A. Umbilical Vein Catheterization. NeoReviews. 2013;14(8):e416-e8.
418. Moens E, Dooy JD, Jansens H, Lammens C, Op de Beeck B, Mahieu L. Hepatic abscesses associated with umbilical catheterisation in two neonates. European journal of pediatrics. 2003;162(6):406-9.
419. Mohan MS, Patole SK. Neonatal ascites and hyponatraemia following umbilical venous catheterization. J Paediatr Child Health. 2002;38(6):612-4.
420. Moller JC, Reiss I, Schaible T. Vascular access in neonates and infants--indications, routes, techniques and devices, complications. Intensive care world. 1995;12(2):48-53.
421. Monsky WL, Garza AS, Loh S, Link DP. Snare technique for the placement of a peripherally inserted central catheter in the neonatal and pediatric patient. J Vasc Access. 2010;11(2):100-5.

422. Montaruli E, Pfister RE, Wildhaber BE. Sterile hepatic abscess secondary to administration of parenteral fluids via an umbilical venous catheter in a premature baby. *Journal of pediatric gastroenterology and nutrition*. 2011;53(5):575-6.
423. Monteiro AJ, Canale LS, Barbosa R, Méier M. Cardiac tamponade caused by central venous catheter in two newborns. *Revista Brasileira de Cirurgia Cardiovascular*. 2008;23(3):422-4.
424. Mouratidis B, Antonio G. Sonographic diagnosis of subcapsular liver hematoma mimicking tumor in a neonate. *Journal of clinical ultrasound : JCU*. 2000;28(1):53-7.
425. Mrhac L, Zakko S. Liver visualization on perfusion scan after umbilical vein catheter administration. *Seminars in nuclear medicine*. 1996;26(2):141-2.
426. Mucke D, Pfeifer HJ, Tacke A, Syllm-Rapoport I. [Incidence and causes of umbilical-vein-catheter infections following exchange transfusions]. *Kinderarztliche Praxis*. 1972;40(2):69-77.
427. Muller WD, Trittenwein G, Stein J, Schober P. [Percutaneous-peripheral vena cava catheterization in intensive care of premature and newborn infants. Comparison of Shaw's silastic catheter with the customary polyvinyl catheter]. *Der Anaesthetist*. 1983;32(11):545-7.
428. Mulvihill SJ, Fonkalsrud EW. Complications of superior versus inferior vena cava occlusion in infants receiving central total parenteral nutrition. *Journal of pediatric surgery*. 1984;19(6):752-7.
429. Murphy LM, Lipman TO. Central venous catheter care in parenteral nutrition: a review. *JPEN Journal of parenteral and enteral nutrition*. 1987;11(2):190-201.
430. Nadroo AM, Lin J, Green RS, Magid MS, Holzman IR. Death as a complication of peripherally inserted central catheters in neonates. *J Pediatr*. 2001;138(4):599-601.
431. Nakamura KT, Sato Y, Erenberg A. Evaluation of a percutaneously placed 27-gauge central venous catheter in neonates weighing less than 1200 grams. *JPEN Journal of parenteral and enteral nutrition*. 1990;14(3):295-9.
432. Nakstad B, Naess PA, de Lange C, Schistad O. Complications of umbilical vein catheterization: Neonatal total parenteral nutrition ascites after surgical repair of congenital diaphragmatic hernia. *Journal of pediatric surgery*. 2002;37(8):1-3.
433. Nandiolo-Anelone KR, Allah KC, Cisse L, Bankole SR, Oulai M, Ake AY. [Extravasation injuries in newborns: our experience about 15 cases]. *Chir Main*. 2014;33(1):44-50.
434. Narang S, Roy J, Stevens TP, Butler-O'Hara M, Mullen CA, D'Angio CT. Risk factors for umbilical venous catheter-associated thrombosis in very low birth weight infants. *Pediatric blood & cancer*. 2009;52(1):75-9.
435. Narla LD, Hom M, Lofland G, Moskowitz W. Evaluation of umbilical catheter and tube placement in premature infants. *Radiographics : a review publication of the Radiological Society of North America, Inc*. 1991;11(5):849-63.
436. Nash P. Umbilical catheters, placement, and complication management. *Journal of infusion nursing : the official publication of the Infusion Nurses Society*. 2006;29(6):346-52.
437. Nassabeh-Montazami S, Abubakar KM, Keszler M. The impact of instrumental dead-space in volume-targeted ventilation of the extremely low birth weight (ELBW) infant. *Pediatr Pulmonol*. 2009;44(2):128-33.
438. Nazemi KJ, Buescher ES, Kelly RE, Jr., Karlowicz MG. Central venous catheter removal versus in situ treatment in neonates with enterobacteriaceae bacteremia. *Pediatrics*. 2003;111(3):e269-74.
439. Neiva F, Machado C, Sousa R, Cunha C, Silva A, Pereira A. Central venous catheter in NICU - Prospective surveillance study. *Early human development*. 2010;86:S76.
440. Nelson DB, Kien CL, Mohr B, Frank S, Davis SD. Dressing changes by specialized personnel reduce infection rates in patients receiving central venous parenteral nutrition. *JPEN Journal of parenteral and enteral nutrition*. 1986;10(2):220-2.

441. Neubauer AP. Percutaneous central i.v. access in the neonate: experience with 535 silastic catheters. *Acta paediatrica (Oslo, Norway : 1992)*. 1995;84(7):756-60.
442. Newberry DM, Young TE, Robertson T, Levy J, Brandon D. Evaluation of neonatal peripherally inserted central catheter tip movement in a consistent upper extremity position. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses*. 2014;14(1):61-8.
443. Ngo A MS. A Theory-based Intervention to Improve Nurses' Knowledge, Self-efficacy, and Skills to Reduce PICC Occlusion. *Journal of Infusion Nursing*. 2005;28(3):173-81.
444. Nikkels PG. Iatrogenic damage in the neonatal period. *Seminars in neonatology* : SN. 2004;9(4):303-10.
445. Nistala K, Nicholl R. Should preterm neonates with a central venous catheter and coagulase negative staphylococcal bacteraemia be treated without removal of the catheter? *Arch Dis Child*. 2003;88(5):458-9.
446. Njere I, Islam S, Parish D, Kuna J, Keshtgar AS. Outcome of peripherally inserted central venous catheters in surgical and medical neonates. *Journal of pediatric surgery*. 2011;46(5):946-50.
447. Nodari S, Agostino R, Bucci G. Proper location of umbilical venous catheters by internal electrocardioscopy. *Acta paediatrica Scandinavica*. 1973;62(5):492-6.
448. Noshewan A, Gill I, Walsh H, Knowles S, Twomey A. An audit of the use of PICC lines in preterm infants (<33weeks) in a tertiary neonatal intensive care unit. *Archives of Disease in Childhood*. 2012;97:A236-A7.
449. Nour S, Puntis JW, Stringer MD. Intra-abdominal extravasation complicating parenteral nutrition in infants. *Archives of disease in childhood Fetal and neonatal edition*. 1995;72(3):F207-8.
450. Nowlen TT, Rosenthal GL, Johnson GL, Tom DJ, Vargo TA. Pericardial effusion and tamponade in infants with central catheters. *Pediatrics*. 2002;110(1 Pt 1):137-42.
451. Obladen M, Ernst D, Feist D, Wille L. Portal hypertension in children following neonatal umbilical disorders. *Journal of perinatal medicine*. 1975;3(2):101-4.
452. Odd DE, Battin MR, Kuschel CA. Variation in identifying neonatal percutaneous central venous line position. *J Paediatr Child Health*. 2004;40(9-10):540-3.
453. Odd DE, Page B, Battin MR, Harding JE. Does radio-opaque contrast improve radiographic localisation of percutaneous central venous lines? *Archives of disease in childhood Fetal and neonatal edition*. 2004;89(1):F41-3.
454. Oelberg DG, Baker A, Quast D, Worley L. Impact of umbilical catheterization on morbidity and mortality in extremely premature newborns. *Journal of neonatal-perinatal medicine*. 2014;7(1):13-9.
455. Oestreich AE. Umbilical vein catheterization—appropriate and inappropriate placement. *Pediatric radiology*. 2010;40(12):1941-9.
456. O'Gorman CS. Insertion of umbilical arterial and venous catheters. *Ir Med J*. 2005;98(5):151-3.
457. O'Grady NP, Alexander M, Burns LA, Dellinger EP, Garland J, Heard SO, et al. Guidelines for the Prevention of Intravascular Catheter-related Infections. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 2011;52(9):e162-93.
458. Ohki Y, Maruyama K, Harigaya A, Kohno M, Arakawa H. Complications of peripherally inserted central venous catheter in Japanese neonatal intensive care units. *Pediatrics international : official journal of the Japan Pediatric Society*. 2013;55(2):185-9.
459. Ohki Y, Tabata M, Kuwashima M, Takeuchi H, Nako Y, Morikawa A. Ultrasonographic detection of very thin percutaneous central venous catheter in neonates. *Acta Paediatrica*. 2000;89(11):1381-4.

460. Ohki Y, Yoshizawa Y, Watanabe M, Kuwashima M, Morikawa A. Complications of percutaneously inserted central venous catheters in Japanese neonates. *Pediatrics international : official journal of the Japan Pediatric Society*. 2008;50(5):636-9.
461. Omene JA, Odita JC, Diakparomre MA. The risks of umbilical vessel catheterization in a neonatal intensive care unit. *African journal of medicine and medical sciences*. 1979;8(3-4):115-23.
462. Onal EE, Saygili A, Koc E, Turkyilmaz C, Okumus N, Atalay Y. Cardiac tamponade in a newborn because of umbilical venous catheterization: is correct position safe? *Paediatric anaesthesia*. 2004;14(11):953-6.
463. Ontario CoRTo. Central Access: Umbilical Artery and Vein Cannulation. Toronto Ontario Canada: College of Respiratory Therapists of Ontario; 2008. p. 35.
464. Opitz JC, Toyama W. Cardiac tamponade from central venous catheterization: two cases in premature infants with survival. *Pediatrics*. 1982;70(1):139-40.
465. Oppenheimer DA, Carroll BA. Ultrasonic localization of neonatal umbilical catheters. *Radiology*. 1982;142(3):781-2.
466. Oriot D, Defawe G. Percutaneous catheterization of the axillary vein in neonates. *Critical care medicine*. 1988;16(3):285-6.
467. Osaki FA, Allen DM, Diamond LK. Portal hypertension a complication of umbilical vein catheterization. *Pediatrics*. 1963;31:297-302.
468. Osvald EC, Hill L, Ramalingam V. PC. 128 National Survey on Imaging of Percutaneous Longlines in Tertiary Neonatal Intensive Care Units. *Archives of Disease in Childhood-Fetal and Neonatal Edition*. 2014;99(Suppl 1):A80-A.
469. Ozkiraz S, Gokmen Z, Anuk Ince D, Baris Akcan A, Kilicdag H, Ozel D, et al. Peripherally inserted central venous catheters in critically ill premature neonates. *J Vasc Access*. 2013;14(4):320-4.
470. Pabalan M, Wynn RJ, Reynolds AM, Ryan RM, Youssfi M, Manja V, et al. Pleural effusion with parenteral nutrition solution: an unusual complication of an "appropriately" placed umbilical venous catheter. *American journal of perinatology*. 2007;24(10):581-5.
471. Padula MA, Dewan ML, Shah SS, Padula AM, Srinivasan L, McGowan KL, et al. Risk factors associated with laboratory-confirmed bloodstream infections in a tertiary neonatal intensive care unit. *The Pediatric infectious disease journal*. 2014;33(10):1027-32.
472. Paiva ED, Costa P, Kimura AF, Elci de Castro T. [Reasons for non-elective removal of epicutaneous catheters in neonates]. *Revista da Escola de Enfermagem da U S P*. 2013;47(6):1279-84.
473. Palanivel V, Anjay MA, Chapman J. Failure of 'double catheter' technique. *Indian journal of pediatrics*. 2009;76(11):1186.
474. Panagiotounakou P, Antonogeorgos G, Gounari E, Papadakis S, Labadidis J, Gounaris AK. Peripherally inserted central venous catheters: Frequency of complications in premature newborn depends on the insertion site. *Journal of Perinatology*. 2014;34(6):461-3.
475. Pandit PB, Pandit FA, Govan J, O'Brien K. Complications associated with surgically placed central venous catheters in low birth weight neonates. *Journal of perinatology : official journal of the California Perinatal Association*. 1999;19(2):106-9.
476. Panetta J, Morley C, Betheras R. Ascites in a premature baby due to parenteral nutrition from an umbilical venous catheter. *Journal of paediatrics and child health*. 2000;36(2):197-8.
477. Panknin HT. [Central venous catheter in the newborn infant: access via the lower extremity reduces rate of complications]. *Kinderkrankenschwester : Organ der Sektion Kinderkrankenpflege / Deutsche Gesellschaft fur Sozialpadiatrie und Deutsche Gesellschaft fur Kinderheilkunde*. 2011;30(6):238-9.

478. Park CK, Paes BA, Nagel K, Chan AK, Murthy P, Thrombosis, et al. Neonatal central venous catheter thrombosis: diagnosis, management and outcome. *Blood coagulation & fibrinolysis : an international journal in haemostasis and thrombosis.* 2014;25(2):97-106.
479. Paster SB, Middleton P. Roentgenographic evaluation of umbilical artery and vein catheters. *JAMA.* 1975;231(7):742-6.
480. Pastor Rodriguez JD, Serrano Matas E, Munoz Escolar DA. [Insertion and maintenance of peripheral venous catheters in neonates]. *Enfermeria clinica.* 2008;18(4):211-5.
481. Patra K, Storfer-Isser A, Siner B, Moore J, Hack M. Adverse events associated with neonatal exchange transfusion in the 1990s. *J Pediatr.* 2004;144(5):626-31.
482. Paulson PR, Miller KM. Neonatal peripherally inserted central catheters: recommendations for prevention of insertion and postinsertion complications. *Neonatal network : NN.* 2008;27(4):245-57.
483. Peck DR, Lowman RM. Roentgen aspects of umbilical vascular catheterization in the newborn. The problem of catheter placement. *Radiology.* 1967;89(5):874-7.
484. Pennaforte T, Klosowski S, Alexandre C, Ghesquiere J, Rakza T, Storme L. [Increased success rate in umbilical venous catheter positioning by posterior liver mobilization]. *Archives de pediatrie : organe officiel de la Societe francaise de pediatrie.* 2010;17(10):1440-4.
485. Pereira GR, Lim BK, Ing C, Medeiros HF. Umbilical vs peripheral vein catheterization for parenteral nutrition in sick premature neonates. *Yonsei Med J.* 1992;33(3):224-31.
486. Pereira LJ, Lee GM, Wade KJ. An evaluation of five protocols for surgical handwashing in relation to skin condition and microbial counts. *The Journal of hospital infection.* 1997;36(1):49-65.
487. Pereyra R, Andrassy RJ, Mahour GH. Central venous cannulation in neonates. *Surgery, gynecology & obstetrics.* 1980;151(2):253-4.
488. Perez-Martinez A, Bento-Bravo L, Martinez-Bermejo MA, Conde-Cortes J, Lezaun R, Egues J. Fracture and intracardiac migration of a neonatal venous catheter--extraction via the umbilical pathway. *Pediatr Radiol.* 2002;32(3):211.
489. Perin G, Scarpa MG. Defining central venous line position in children: tips for the tip. *J Vasc Access.* 2014;0(0):0.
490. Pesce C, Mercurella A, Musi L, Campobasso P, Negri M. Fatal cardiac tamponade as a late complication of central venous catheterization: a case report. *European journal of pediatric surgery : official journal of Austrian Association of Pediatric Surgery [et al] = Zeitschrift fur Kinderchirurgie.* 1999;9(2):113-5.
491. Petrosino B, Becker H, Christian B. Infection rates in central venous catheter dressings. *Oncol Nurs Forum.* 1988;15(6):709-17.
492. Pettit J. Challenges to providing vascular access in neonatal patients. *Journal of Vascular Access Devices.* 2000;5(1):16-21.
493. Pettit J. Assessment of infants with peripherally inserted central catheters: Part 1. Detecting the most frequently occurring complications. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses.* 2002;2(6):304-15.
494. Pettit J. Assessment of the infant with a peripheral intravenous device. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses.* 2003;3(5):230-40.
495. Pettit J. Technological advances for PICC placement and management. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses.* 2007;7(3):122-31.
496. Pettit J WM. Peripherally Inserted Central Catheters Guideline for Practice 2nd Edition [English]. Glenview IL: National Association of Neonatal Nurses; 2001 [updated 2007];

- cited 2015 August]. 2nd:[Guideline for Practice]. Available from:
<https://www.google.co.uk/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0CCIQFjAAhUKEwiz1quQtKbHAhUKMNsKHTtuAO8&url=http%3A%2Fwww.nann.org%2Fpdf%2FPICCGuidelines.pdf&ei=KLzMVbOibBorg7Aa73IH4Dg&usg=AFQjCNFSAmh1EIE0BItevd-2pm12IQjHQ&sig2=mm6fw7fzRqHnrkPnGLM4eA>
497. Pezzati M, Filippi L, Chiti G, Dani C, Rossi S, Bertini G, et al. Central venous catheters and cardiac tamponade in preterm infants. *Intensive care medicine*. 2004;30(12):2253-6.
498. Phipps K, Modic A, O'Riordan MA, Walsh M. A randomized trial of the Vein Viewer versus standard technique for placement of peripherally inserted central catheters (PICCs) in neonates. *Journal of perinatology : official journal of the California Perinatal Association*. 2012;32(7):498-501.
499. Pietsch JB, Nagaraj HS, Groff DB. Simplified insertion of central venous catheter in infants. *Surgery, gynecology & obstetrics*. 1984;158(1):91-2.
500. Pigna A, Bachiocca V, Fae M, Cuppini F. Peripherally inserted central venous catheters in preterm newborns: two unusual complications. *Paediatric anaesthesia*. 2004;14(2):184-7.
501. Pignotti MS, Messeri A, Calamandrei M, Donzelli GP. [Percutaneous catheterization of the newborn: control of pain and easy insertion with brachial plexus block]. *Acta bio-medica de L'Ateneo parmense : organo della Societa di medicina e scienze naturali di Parma*. 2000;71 Suppl 1:641-5.
502. Pignotti MS, Messeri A, Donzelli G. Thoracentesis in pericardial and pleural effusion caused by central venous catheterization: a less invasive neonatal approach. *Paediatric anaesthesia*. 2004;14(4):349-51.
503. Pinheiro JM, Fisher MA. Use of a triple-lumen catheter for umbilical venous access in the neonate. *J Pediatr*. 1992;120(4 Pt 1):624-6.
504. Pittiruti M. Ultrasound guided central vascular access in neonates, infants and children. *Current Drug Targets*. 2013(7):961-9.
505. Pizzuti A, Parodi E, Abbondi P, Frigerio M. Cardiac tamponade and successful pericardiocentesis in an extremely low birth weight neonate with percutaneously inserted central venous line: a case report. *Cases journal*. 2010;3:15.
506. Ponnusamy V, Perperoglou A, Venkatesh V, Curley A, Brown N, Tremlett C, et al. Skin colonisation at the catheter exit site is strongly associated with catheter colonisation and catheter-related sepsis. *Acta paediatrica (Oslo, Norway : 1992)*. 2014;103(12):1233-8.
507. Ponnusamy V, Venkatesh V, Clarke P. Skin antisepsis in the neonate: what should we use? *Current opinion in infectious diseases*. 2014;27(3):244-50.
508. Ponnusamy V, Venkatesh V, Curley A, Musonda P, Brown N, Tremlett C, et al. Segmental percutaneous central venous line cultures for diagnosis of catheter-related sepsis. *Archives of disease in childhood Fetal and neonatal edition*. 2012;97(4):F273-8.
509. Powers WF, Tooley WH. Contamination of umbilical vessel catheters: encouraging information. *Pediatrics*. 1972;49(3):470-1.
510. Primhak R, Gathercole N, Reiter H. Pressures used to flush central venous catheters. *Archives of Disease in Childhood-Fetal and Neonatal Edition*. 1998;78(3):F234-F.
511. Prinz SC, Cunningham MD. Umbilical vessel catheterization. *The Journal of family practice*. 1980;10(5):885-90.
512. Pulickal AS, Charlagonra PK, Tume SC, Chhabra M, Narula P, Nadroo AM. Superiority of targeted neonatal echocardiography for umbilical venous catheter tip localization: accuracy of a clinician performance model. *Journal of perinatology : official journal of the California Perinatal Association*. 2013;33(12):950-3.
513. Puntis JW. Percutaneous insertion of central venous feeding catheters. *Arch Dis Child*. 1986;61(11):1138-40.

514. Puntis JW, Ball PA, Booth IW. Percutaneous central venous feeding lines in infants: do they perform as well as surgically positioned catheters? *Z Kinderchir.* 1987;42(6):354-7.
515. Puri AR, Alkalay AL, Pomerance JJ, Neufeld ND, Thangavel M. Neonatal hypoglycemia associated with umbilical artery catheter positioned at the eighth to ninth thoracic vertebrae. *Am J Perinatol.* 1987;4(3):195-7.
516. Purohit D, Levkoff A. Pericardial effusion complicating umbilical venous catheterization. *Archives of disease in childhood.* 1977;52(6):520.
517. Puvabanditsin S, Garrow E, Razi S, Davis E, Padilla J, Chowdawarapu SC. Cardiac tamponade as fatal complication of a percutaneous central venous line in a preterm neonate. *Chirurgia.* 2006;19(6):435-7.
518. Pyati SP, Ramamurthy RS, Krauss MT, Pildes RS. Absorption of iodine in the neonate following topical use of povidone iodine. *J Pediatr.* 1977;91(5):825-8.
519. Quach C, Milstone AM, Perpete C, Bonenfant M, Moore DL, Perreault T. Chlorhexidine bathing in a tertiary care neonatal intensive care unit: impact on central line-associated bloodstream infections. *Infection control and hospital epidemiology : the official journal of the Society of Hospital Epidemiologists of America.* 2014;35(2):158-63.
520. Racadio JM, Johnson ND, Doellman DA. Peripherally inserted central venous catheters: success of scalp-vein access in infants and newborns. *Radiology.* 1999;210(3):858-60.
521. Ragavan M, Gazula S, Yadav DK, Agarwala S, Srinivas M, Bajpai M, et al. Peripherally inserted central venous lines versus central lines in surgical newborns--a comparison. *Indian journal of pediatrics.* 2010;77(2):171-4.
522. Raisanen P, Cassel I, Martin G, Graziano K. Umbilical venous catheter complication in an infant with left-sided congenital diaphragmatic hernia: extravasation owing to hepatic vein catheterization. *Journal of pediatric surgery.* 2010;45(12):e33-e5.
523. Rajani AK, Chitkara R, Oehlert J, Halamek LP. Comparison of umbilical venous and intraosseous access during simulated neonatal resuscitation. *Pediatrics.* 2011;128(4):e954-8.
524. Ramachandran P, Cohen RS, Kim EH. Multiple-lumen umbilical venous catheters. *J Pediatr.* 1992;121(3):499; author reply 500.
525. Ramachandran P, Cohen RS, Kim EH, Glasscock GF. Experience with double-lumen umbilical venous catheters in the low-birth-weight neonate. *Journal of perinatology : official journal of the California Perinatal Association.* 1994;14(4):280-4.
526. Ramanathan R, Durand M. Blood cultures in neonates with percutaneous central venous catheters. *Arch Dis Child.* 1987;62(6):621-3.
527. Ramasethu J. Complications of vascular catheters in the neonatal intensive care unit. *Clinics in perinatology.* 2008;35(1):199-222, x.
528. Ramirez-Valdivia JM, Perez-Molina JJ, Villasenor-Sierra A, Troyo-Sanroman R, Gomez-Ruiz LM, Farfan-Covarrubias JL. [Risk factors associated to neonatal cross-infection]. *Revista medica del Instituto Mexicano del Seguro Social.* 2009;47(5):489-92.
529. RAMONDO AB, FAVERO L, CHIOIN R. Percutaneous retrieval of a broken catheter from the left atrium in an adult. *Journal of interventional cardiology.* 2002;15(5):417-9.
530. Rampersad SE, Martin LD, Geiduscheck JM, Weiss GK, Bates SW, Martin LD. Video observation of anesthesia practice: a useful and reliable tool for quality improvement initiatives. *Paediatric anaesthesia.* 2013;23(7):627-33.
531. Rand T, Kirchner L, Puig S, Ponhold W, Vergesslich K, Imhof H. ["Lines and tubes" in neonatal intensive care patients]. *Der Radiologe.* 2000;40(1):52-7.
532. Rao S, Alladi A, Das K, Cruz AJ. Medium and long term central venous access in children. *Indian pediatrics.* 2003;40(1):41-4.
533. Rastogi S, Bhutada A, Sahni R, Berdon WE, Wung JT. Spontaneous correction of the malpositioned percutaneous central venous line in infants. *Pediatr Radiol.* 1998;28(9):694-6.

534. Rauth TP, Scott BP, Thomason CK, Bartilson RE, Hann TM, Pietsch JB. Central venous catheter placement at the time of extracorporeal membrane oxygenation decannulation: is it safe? *Journal of pediatric surgery*. 2008;43(1):53-7; discussion 8.
535. Raval NC, Gonzalez E, Bhat AM, Pearlman SA, Stefano JL. Umbilical venous catheters: evaluation of radiographs to determine position and associated complications of malpositioned umbilical venous catheters. *American journal of perinatology*. 1995;12(3):201-4.
536. Redo SF, Dinner MH. Placement of central venous catheters by cut-down with electrocardiogram positioning. *Surgery, gynecology & obstetrics*. 1993;177(1):49-53.
537. Reece A, Ubhi T, Craig AR, Newell SJ. Positioning long lines: contrast versus plain radiography. *Archives of disease in childhood Fetal and neonatal edition*. 2001;84(2):F129-30.
538. Rehan V, Seshia M. Complications of umbilical vein catheter. *European journal of pediatrics*. 1994;153(2):141-.
539. Rejjal A, Galal M, Nazer H, Karim A, Osba YA. Complications of parenteral nutrition via an umbilical vein catheter. *European journal of pediatrics*. 1993;152(7):624-.
540. Repa A, Mayerhofer M, Cardona F, Worel N, Deindl P, Pollak A, et al. Safety of blood transfusions using 27 gauge neonatal picc lines: An in vitro study on hemolysis. *Klinische Padiatrie*. 2013;225(7):379-82.
541. Revel-Vilk S, Ergaz Z. Diagnosis and management of central-line-associated thrombosis in newborns and infants. *Seminars in fetal & neonatal medicine*. 2011;16(6):340-4.
542. Reyna TM, Schropp KP. A technique for documenting central placement of long term catheters in neonates. *Surgery, gynecology & obstetrics*. 1989;169(5):461-2.
543. Reynolds PR, Banerjee S, Meek JH. Alcohol burns in extremely low birthweight infants: still occurring. *Archives of disease in childhood Fetal and neonatal edition*. 2005;90(1):F10.
544. Richter E, Globl H, Holthusen W, Lassrich MA. Intrahepatic calcifications in infants and children following umbilical vein catheterization. *Annales de radiologie*. 1984;27(2-3):117-24.
545. Riley JH, Cranage SM. A new self-retaining vascular indwelling catheter. *American journal of veterinary research*. 1976;37(11):1367-9.
546. Robbins AB, Patel H. Transvascular retrieval of a catheter remnant from the peripheral vein of a preterm neonate. *J Vasc Access*. 2008;9(4):299-300.
547. Roberts JP, Gollow IJ. Central venous catheters in surgical neonates. *Journal of pediatric surgery*. 1990;25(6):632-4.
548. Rodrigues ZS, Chaves EM, Cardoso MV. [Action of the nurse with peripherally inserted central catheter in the newborn infant]. *Revista brasileira de enfermagem*. 2006;59(5):626-9.
549. Rodriguez-Balderrama I, Rodriguez-Tamez A, Torres-Bernal J, Martinez-Segovia MA, Rodriguez-Bonito R, Quiroga-Garza A, et al. [Utilization of percutaneous catheters in neonatology: insertion of 105 catheters]. *Boletin medico del Hospital Infantil de Mexico*. 1993;50(3):162-6.
550. Roehr C, Te Pas A, Dold SK, Breindahl M, Blennow M, Rüdiger M, et al. Investigating the European perspective of neonatal point-of-care echocardiography in the neonatal intensive care unit—a pilot study. *European journal of pediatrics*. 2013;172(7):907-11.
551. Rogers BB, Berns SD, Maynard EC, Hansen TW. Pericardial tamponade secondary to central venous catheterization and hyperalimentation in a very low birthweight infant. *Pediatr Pathol*. 1990;10(5):819-23.
552. Rosen MS, Reich SB. Umbilical Venous Catheterization in the Newborn: Identification of Correct Positioning 1. *Radiology*. 1970;95(2):335-40.

553. Rotter M, Koller W, Wewalka G. Povidone-iodine and chlorhexidine gluconate-containing detergents for disinfection of hands. *The Journal of hospital infection*. 1980;1(2):149-58.
554. Roy M, Turner-Gomes S, Gill G, Way C, Mernagh J, Schmidt B. Accuracy of Doppler echocardiography for the diagnosis of thrombosis associated with umbilical venous catheters. *J Pediatr*. 2002;140(1):131-4.
555. Rudin C, Nars PW. A comparative study of two different percutaneous venous catheters in newborn infants. *European journal of pediatrics*. 1990;150(2):119-24.
556. Ruiz CE, Nystrom GA, Butt AI, Zhang HP. Percutaneous retrieval of a broken umbilical catheter from left atrium in a premature newborn. *Catheterization and cardiovascular diagnosis*. 1995;36(3):265-8.
557. Rushforth JA, Wood C, Quinn MW, Puntis JW. Which central venous catheter for neonatal use? *Clinical nutrition*. 1992;11(6):365-7.
558. Saboo A, Sharma A, Edelman J, Salter C. G210(P) Umbilical Venous Catheters in Neonates 'Not as Safe as We Might Think'. *Archives of Disease in Childhood*. 2014;99(Suppl 1):A91.
559. Saboo A, Sharma A, Edelman J, Salter C. PC.112 Umbilical venous catheter extravasation-A retrospective study and quality improvement programme. *Archives of Disease in Childhood - Fetal and Neonatal Edition*. 2014;99(Suppl 1):A75.
560. Sadiq HF, Devaskar S, Keenan WJ, Weber TR. Broviac catheterization in low birth weight infants: incidence and treatment of associated complications. *Critical care medicine*. 1987;15(1):47-50.
561. Saha A, Fernandez R. Audit on optimal positioning of peripherally inserted central catheters in neonates. *Archives of Disease in Childhood: Education and Practice Edition*. 2013;98:A29-A30.
562. Sakha SH, Rafeey M, Tarzamani MK. Portal venous thrombosis after umbilical vein catheterization. *Indian journal of gastroenterology : official journal of the Indian Society of Gastroenterology*. 2007;26(6):283-4.
563. Sakurai M, Donnelly LF, Klosterman LA, Strife JL. Congenital diaphragmatic hernia in neonates: variations in umbilical catheter and enteric tube position. *Radiology*. 2000;216(1):112-6.
564. Saloonaara M, Riikonen P, Kekomaki R, Heinonen K. Clinically symptomatic central venous catheter-related deep venous thrombosis in newborns. *Acta paediatrica (Oslo, Norway : 1992)*. 1999;88(6):642-6.
565. Salvadori S, Piva D, Filippone M. Umbilical venous line displacement as a consequence of abdominal girth variation. *Journal of Pediatrics*. 2002;141(5):737.
566. Salzman MB, Isenberg HD, Shapiro JF, Lipsitz PJ, Rubin LG. A prospective study of the catheter hub as the portal of entry for microorganisms causing catheter-related sepsis in neonates. *The Journal of infectious diseases*. 1993;167(2):487-90.
567. Sanchez Garcia-Vao C, Carbonell Estrany X, Esque Ruiz MT, Barjau Capdevila M, Minguez Ortega J, Giraldo Lozano L. [Invasive catheters in neonates]. *Anales espanoles de pediatria*. 1999;51(4):382-8.
568. Sanders C. The placement of the umbilical venous catheter in the newborn and its relationship to the anatomy of the umbilical vein, ductus venosus and portal venous system. *Clinical radiology*. 1978;29(3):303-8.
569. Sankar MJ, Paul VK. Efficacy and safety of whole body skin cleansing with chlorhexidine in neonates--a systemic review. *The Pediatric infectious disease journal*. 2013;32(6):e227-34.
570. Sankar MJ, Paul VK, Kapil A, Kalaivani M, Agarwal R, Darmstadt GL, et al. Does skin cleansing with chlorhexidine affect skin condition, temperature and colonization in

- hospitalized preterm low birth weight infants?: a randomized clinical trial. *Journal of perinatology : official journal of the California Perinatal Association.* 2009;29(12):795-801.
571. Sankararaman S, Kurepa D, Kakkilaya V, Patra K, Gates T. Pleural effusion: An extremely uncommon complication of correctly placed umbilical venous catheter. *Journal of Neonatal-Perinatal Medicine.* 2012;5(3):269-73.
572. Sannoh S, Clones B, Munoz J, Montecalvo M, Parvez B. A multimodal approach to central venous catheter hub care can decrease catheter-related bloodstream infection. *American journal of infection control.* 2010;38(6):424-9.
573. Sasidharan P, Billman D, Heimler R, Nelin L. Cardiac arrest in an extremely low birth weight infant: complication of percutaneous central venous catheter hyperalimentation. *Journal of perinatology : official journal of the California Perinatal Association.* 1996;16(2 Pt 1):123-6.
574. Scanlon KB, Grylack LJ, Borten M. Placement of umbilical artery catheters: high vs. low. *JOGN nursing; journal of obstetric, gynecologic, and neonatal nursing.* 1982;11(6):355-8.
575. Scharrer B, Rudin C, Nars PW. Transumbilical venous access with small diameter silastic catheters in very low birth weight infants. *European journal of pediatrics.* 1997;156(11):897-8.
576. Schiff DE, Stonestreet BS. Central venous catheters in low birth weight infants: incidence of related complications. *Journal of perinatology : official journal of the California Perinatal Association.* 1993;13(2):153-8.
577. Schlapbach LJ, Pfammatter JP, Nelle M, McDougall FJ. Cardiomegaly in a premature neonate after venous umbilical catheterization. *European journal of pediatrics.* 2009;168(1):107-9.
578. Schlesinger AE, Braverman RM, DiPietro MA. Neonates and umbilical venous catheters: normal appearance, anomalous positions, complications, and potential aid to diagnosis. *American Journal of Roentgenology.* 2003;180(4):1147-53.
579. Schlesinger AE, Braverman RM, DiPietro MA. Pictorial essay. Neonates and umbilical venous catheters: normal appearance, anomalous positions, complications, and potential aid to diagnosis. *AJR American journal of roentgenology.* 2003;180(4):1147-53.
580. Schneider K, Hartl M, Fendel H. Umbilical and portal vein calcification following umbilical vein catheterization. *Pediatric radiology.* 1989;19(6-7):468-70.
581. Schoonakker BC, Harding D. Radiological sign of a long line in the ascending lumbar vein [1]. *Archives of Disease in Childhood.* 2005;90(9):982.
582. Schwartz DS, Gettner PA, Konstantino MM, Bartley CL, Keller MS, Ehrenkranz RA, et al. Umbilical venous catheterization and the risk of portal vein thrombosis. *The Journal of pediatrics.* 1997;131(5):760-2.
583. Scott JM. Iatrogenic lesions in babies following umbilical vein catheterization. *Archives of disease in childhood.* 1965;40(212):426-9.
584. Seguin J, Fletcher MA, Landers S, Brown D, Macpherson T. Umbilical venous catheterizations: audit by the Study Group for Complications of Perinatal Care. *Am J Perinatol.* 1994;11(1):67-70.
585. Sehgal A, Cook V, Dunn M. Pericardial effusion associated with an appropriately placed umbilical venous catheter. *Journal of perinatology.* 2007;27(5):317-9.
586. Seibert JJ, Taylor BJ, Williamson SL, Williams BJ, Szabo JS, Corbitt SL. Sonographic detection of neonatal umbilical-artery thrombosis: clinical correlation. *AJR American journal of roentgenology.* 1987;148(5):965-8.
587. Seibert JJ, Weinstein MM, Erenberg A. Catheter-related complications of total parenteral nutrition in infants. *Pediatr Radiol.* 1976;4(4):233-7.
588. Sekar KC. Iatrogenic complications in the neonatal intensive care unit. *Journal of perinatology : official journal of the California Perinatal Association.* 2010;30 Suppl:S51-6.

589. Sellitto M, Messina F. Central venous catheterization and thrombosis in newborns: update on diagnosis and management. *The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstet.* 2012;25 Suppl 4:26-8.
590. Semelsberger CF. Educational interventions to reduce the rate of central catheter-related bloodstream infections in the NICU: a review of the research literature. *Neonatal network : NN.* 2009;28(6):391-5.
591. Sengupta A, Lehmann C, Diener-West M, Perl TM, Milstone AM. Catheter duration and risk of CLA-BSI in neonates with PICCs. *Pediatrics.* 2010;125(4):648-53.
592. Serrano M, Garcia-Alix A, Lopez JC, Perez J, Quero J. Retained central venous lines in the newborn: report of one case and systematic review of the literature. *Neonatal network : NN.* 2007;26(2):105-10.
593. Sethi SK, Dewan P, Faridi MM, Aggarwal A, Upreti L. Liver abscess, portal vein thrombosis and cavernoma formation following umbilical vein catherisation in two neonates. *Trop Gastroenterol.* 2007;28(2):79-80.
594. Shah D, Tracy M. Skin antisepsis survey in Australia-New Zealand neonatal nurseries. *J Paediatr Child Health.* 2013;49(7):601-2.
595. Shah D, Tracy M. Cutaneous antisepsis for prevention of intravascular catheter-associated infection in newborn infants. *The Cochrane Library.* 2014.
596. Shah KJ, Corkery JJ. Necrotising entero-colitis following umbilical vein catheterisation. *Clin Radiol.* 1978;29(3):295-301.
597. Shah P, Shah V. Continuous heparin infusion to prevent thrombosis and catheter occlusion in neonates with peripherally placed percutaneous central venous catheters. *The Cochrane database of systematic reviews.* 2001(3):Cd002772.
598. Shah PS, Kalyn A, Satodia P, Dunn MS, Parvez B, Daneman A, et al. A randomized, controlled trial of heparin versus placebo infusion to prolong the usability of peripherally placed percutaneous central venous catheters (PCVCs) in neonates: the HIP (Heparin Infusion for PCVC) study. *Pediatrics.* 2007;119(1):e284-91.
599. Shahid S, Dutta S, Symington A, Shivananda S. Standardizing umbilical catheter usage in preterm infants. *Pediatrics.* 2014;133(6):e1742-52.
600. Shama A, Patole SK, Whitehall JS. The dilemma of removing umbilical venous catheters in high-risk neonates with nosocomial sepsis. *Indian pediatrics.* 2002;39(2):209.
601. Shannon D. Central venous catheter-induced pericardial effusion in a neonate: a case study and recommendations for practice. *Neonatal network : NN.* 2014;33(6):341-8.
602. Shareena I, Khu Y, Cheah F. Intraperitoneal extravasation of total parental nutrition infusate from an umbilical venous catheter. *Singapore medical journal.* 2008;49(2):e35-6.
603. Sharek PJ, Horbar JD, Mason W, Bisarya H, Thurm CW, Suresh G, et al. Adverse events in the neonatal intensive care unit: development, testing, and findings of an NICU-focused trigger tool to identify harm in North American NICUs. *Pediatrics.* 2006;118(4):1332-40.
604. Sharma A, Gunda R. PB.11 Cascading Risk Through Multiprofessional Neonatal Simulation. *Archives of Disease in Childhood - Fetal and Neonatal Edition.* 2014;99(Suppl 1):A35-A6.
605. Sharma D, Choudhary M, Shastri S, Sharma PK. Neonatal liver abscesses due to Candida infection in a preterm infant, secondary to malpositioned umbilical lines-a rare entity. *Pathogens and global health.* 2015.
606. Sharma VS, Dutta S, Taneja N, Narang A. Comparing hand hygiene measures in a neonatal ICU: a randomized crossover trial. *Indian pediatrics.* 2013;50(10):917-21.

607. Sharpe E. Factors Associated with Radiographic Monitoring Practices: A National Survey of Neonatal Peripherally Inserted Central Catheter (PICC) Practices in the United States. *Journal of Vascular Access*. 2014;15 (3):235-6.
608. Sharpe E, Pettit J, Ellsbury DL. A national survey of neonatal peripherally inserted central catheter (PICC) practices. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses*. 2013;13(1):55-74.
609. Sharpe EL. Tiny patients, tiny dressings: a guide to the neonatal PICC dressing change. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses*. 2008;8(3):150-62; quiz 63-4.
610. Sharpe EL. Securing PICC lines. *Neonatal network : NN*. 2009;28(2):123-4.
611. Sharpe EL. Repositioning techniques for malpositioned neonatal peripherally inserted central catheters. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses*. 2010;10(3):129-32.
612. Sharpe EL. Neonatal peripherally inserted central catheter practices and their association with demographics, training, and radiographic monitoring: results from a national survey. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses*. 2014;14(5):329-35.
613. Sharpe EL, Roig JC. A novel technique for difficult removal of a neonatal peripherally inserted central catheter (PICC). *Journal of perinatology : official journal of the California Perinatal Association*. 2012;32(1):70-1.
614. Sheehan AM, Palange K, Rasor JS, Moran MA. Significantly improved peripheral intravenous catheter performance in neonates: insertion ease, dwell time, complication rate, and costs. *Journal of perinatology : official journal of the California Perinatal Association*. 1992;12(4):369-76.
615. Shenoy RU. Cardiac tamponade following central line in premature neonate: Case report and review of the literature. *Internet Journal of Pediatrics and Neonatology*. 2009;10(1).
616. Sherman MP, Vitale DE, McLaughlin GW, Goetzman BW. Percutaneous and surgical placement of fine silicone elastomer central catheters in high-risk newborns. *JPEN Journal of parenteral and enteral nutrition*. 1983;7(1):75-8.
617. Shirland L. Securing PICC lines. *Neonatal network : NN*. 2008;27(6):427; author reply
618. Shukla H, Ferrara A. Rapid estimation of insertional length of umbilical catheters in newborns. *American Journal of Diseases of Children*. 1986;140(8):786-8.
619. Shulman RJ, Pokorny WJ, Martin CG, Petitt R, Baldaia L, Roney D. Comparison of percutaneous and surgical placement of central venous catheters in neonates. *Journal of pediatric surgery*. 1986;21(4):348-50.
620. Siegler RL. Conservative management of neonatal renal artery embolism. *Urology*. 1976;8(5):484-7.
621. Sigda M, Speights C, Thigpen J. Pericardial tamponade due to umbilical venous catheterization. *Neonatal network: NN*. 1992;11(2):7-9.
622. Simanovsky N, Ofek-Shlomai N, Rozovsky K, Ergaz-Shaltiel Z, Hiller N, Bar-Oz B. Umbilical venous catheter position: evaluation by ultrasound. *European radiology*. 2011;21(9):1882-6.
623. Simmons D, Graves K. Tubing misconnections--a systems failure with human factors: lessons for nursing practice. *Urologic nursing*. 2008;28(6):460-4.
624. Singh A, Bajpai M, Panda SS, Jana M. Complications of peripherally inserted central venous catheters in neonates: Lesson learned over 2 years in a tertiary care centre in India. *African journal of paediatric surgery : AJPS*. 2014;11(3):242-7.

625. Singh S, Royal S, Hedlund G, Barnes G. Central venous catheter motion: a pitfall in catheter localization on pediatric chest radiography. *AJR American journal of roentgenology*. 1999;172(3):803-8.
626. Sinha A, Fernandes CJ, Kim JJ, Fenrich AL, Jr., Enciso J. Atrial flutter following placement of an umbilical venous catheter. *Am J Perinatol*. 2005;22(5):275-7.
627. Smirk C, Soosay Raj T, Smith AL, Morris S. Neonatal percutaneous central venous lines: fit to burst. *Archives of disease in childhood Fetal and neonatal edition*. 2009;94(4):F298-300.
628. Smith JP, Cusick EL, Johnson N, Mackenzie S, Harding D. Surgical retrieval of transected umbilical catheter from preterm infant. *Archives of disease in childhood Fetal and neonatal edition*. 2013;98(2):F181.
629. Smith J-P, Cusick EL, Johnson N, Mackenzie S, Harding D. Surgical retrieval of transected umbilical catheter from preterm infant. *Archives of Disease in Childhood-Fetal and Neonatal Edition*. 2012:fetalneonatal-2012-301895.
630. Smith PB, Benjamin DK, Jr., Cotten CM, Schultz E, Guo R, Nowell L, et al. Is an increased dwell time of a peripherally inserted catheter associated with an increased risk of bloodstream infection in infants? *Infection control and hospital epidemiology*. 2008;29(8):749-53.
631. Smith PL. Umbilical catheter retrieval in the premature infant. *J Pediatr*. 1978;93(3):499-502.
632. Smulders CA, van Gestel JP, Bos AP. Are central line bundles and ventilator bundles effective in critically ill neonates and children? *Intensive care medicine*. 2013;39(8):1352-8.
633. Sneath N. Are supine chest and abdominal radiographs the best way to confirm PICC placement in neonates? *Neonatal network : NN*. 2010;29(1):23-35.
634. Snijders C, van Lingen RA, van der Schaaf TW, Fetter WP, Molendijk HA. Incidents associated with mechanical ventilation and intravascular catheters in neonatal intensive care: exploration of the causes, severity and methods for prevention. *Archives of disease in childhood Fetal and neonatal edition*. 2011;96(2):F121-6.
635. Soe A. Central venous catheterisation in newborn infants. *Infant*. 2007;3(5):172-5.
636. Soong WJ, Hsieh KS, Tiu CM, Hwang BT. Central venous silastic catheters in newborns and children: localization by sonography and radiology. *Zhonghua yi xue za zhi = Chinese medical journal; Free China ed*. 1991;48(2):97-102.
637. Soong WJ, Hwang B. Percutaneous central venous catheterization: five year experiment in a neonatal intensive care unit. *Zhonghua Minguo xiao er ke yi xue hui za zhi [Journal] Zhonghua Minguo xiao er ke yi xue hui*. 1993;34(5):356-66.
638. Soupre D, Sizun J, De Parscau L, Alix D. Use of dual-lumen umbilical venous catheters in neonates. [French]. *Annales de Pediatrie*. 1998;45(6):394-8.
639. South M, Magnay A. Simple method for securing umbilical catheters. *Arch Dis Child*. 1988;63(7 Spec No):750-1.
640. Sridhar S, Thomas N, Kumar ST, Jana AK. Neonatal hydrothorax following migration of a central venous catheter. *Indian journal of pediatrics*. 2005;72(9):795-6.
641. Srinivasan HB, Tjin ATA, Galang R, Hecht A, Srinivasan G. Migration patterns of peripherally inserted central venous catheters at 24 hours postinsertion in neonates. *Am J Perinatol*. 2013;30(10):871-4.
642. Stephenson T, Khan J. A new technique for placement of central venous catheters in small infants. *JPEN Journal of parenteral and enteral nutrition*. 1993;17(5):479-80.
643. Sterniste W, Vavrik K, Lischka A, Sacher M. [Effectiveness and complications of percutaneous central venous catheters in neonatal intensive care]. *Klin Padiatr*. 1994;206(1):18-21.

644. Stevens TP, Schulman J. Evidence-based approach to preventing central line-associated bloodstream infection in the NICU. *Acta Paediatr Suppl*. 2012;101(464):11-6.
645. Stewart AE, Inglis GDT, Jardine LA, Koorts P, Davies MW. A multimedia training tool for junior doctors: Finding innovative solutions to procedural skills training in neonatology. *Journal of Paediatrics and Child Health*. 2010;46:63.
646. Stewart AE, Inglis GDT, Jardine LA, Koorts P, Davies MW. The penske CVLs in neonates e-learning module: Trainee satisfaction with a blended learning approach to central venous line insertion. *Journal of Paediatrics and Child Health*. 2011;47:109.
647. Stocker M, Berger TM. [Arterial and central venous catheters in neonates and infants]. *Der Anaesthetist*. 2006;55(8):873-82.
648. Stolfi I, Boccanera F, Chiara C, Ticchiarelli A, Fassi C, Giannini L, et al. Central venous lines and how to manage them. *Early human development*. 2009;85(10 Suppl):S83-4.
649. Stolfi I, Boccanera F, Chiara C, Ticchiarelli A, Fassi C, Giannini L, et al. Central venous lines and how to manage them. *Early human development*. 2009;85(10):S83-S4.
650. Storme L, Ouali M, Ganga-Zandzou PS, Klosowski S, Rakza T, Fassler C, et al. [Use of double-lumen umbilical vein catheters in a neonatal intensive care unit]. *Archives de pediatrie : organe officiel de la Societe francaise de pediatrie*. 1999;6(4):386-90.
651. Strosche H, Draese K, Zockler CE. [Catheterization of the umbilical vein, diagnostic and therapeutic relevance (author's transl)]. *Leber, Magen, Darm*. 1976;6(1):1-7.
652. Suc AL, Blond MH, Gold F, Maurage C, Saliba E, Guerois M, et al. [Enteropathy in premature newborn infants. Prospective study over one year]. *Archives francaises de pediatrie*. 1992;49(10):869-73.
653. Sullivan CA, Konefal SH, Jr. Cardiac tamponade in a newborn: a complication of hyperalimentation. *JPEN Journal of parenteral and enteral nutrition*. 1987;11(3):319-21.
654. Suresh N, Shanmugasundaram R, Namasivayam S. Pericardial tamponade in neonate following migration of a sialastic central venous catheter. *Indian pediatrics*. 2007;44(1):45-6.
655. Symansky MR, Fox HA. Umbilical vessel catheterization: Indications, management, and evaluation of the technique. *The Journal of Pediatrics*. 1980;80(5):815-9.
656. Symchych PS, Krauss AN, Winchester P. Endocarditis following intracardiac placement of umbilical venous catheters in neonates. *The Journal of pediatrics*. 1977;90(2):287-9.
657. Taber P, Gyepes MT, Lackey DA. Malposition of umbilical vascular catheters in the diagnosis of congenital diaphragmatic hernia. *Radiology*. 1973;109(2):413-5.
658. Takci S, Esenboga S, Gonc N, Yigit S. Persistent hypoglycemia caused by umbilical arterial catheterization. *Journal of pediatric endocrinology & metabolism : JPEM*. 2011;24(11-12):1081-3.
659. Tamma PD, Aucott SW, Milstone AM. Chlorhexidine use in the neonatal intensive care unit: results from a national survey. *Infection control and hospital epidemiology*. 2010;31(8):846-9.
660. Tan LH, Hess B, Diaz LK, Cassady CI, Xu ZM, Di Chiara L, et al. Survey of the use of peripherally inserted central venous catheters in neonates with critical congenital cardiac disease. *Cardiology in the young*. 2007;17(2):196-201.
661. Tariq AA, Rudolph N, Levin EJ. Solitary Hepatic Abscess in a Newborn Infant A Sequel of Umbilical Vein Catheterization and Infusion of Hypertonic Glucose Solutions. *Clinical pediatrics*. 1977;16(6):577-8.
662. Tauzin L, Sigur N, Joubert C, Parra J, Hassid S, Moullies ME. Echocardiography allows more accurate placement of peripherally inserted central catheters in low birthweight infants. *Acta paediatrica (Oslo, Norway : 1992)*. 2013;102(7):703-6.

663. Tawil KA, Eldemerdash A, Hathlol KA, Laimoun BA. Peripherally inserted central venous catheters in newborn infants: malpositioning and spontaneous correction of catheter tips. *Am J Perinatol.* 2006;23(1):37-40.
664. Tay JS, Quek SS, Tan IK. Location of the position of the umbilical catheter during exchange transfusion. Using blood glucose level determinations. *The Journal of the Singapore Paediatric Society.* 1974;16(1):55-63.
665. Taylor H, Cole D, Hooper J, Mullinix L, Green G, Pagano C, et al. Use of staff feedback to reduce central line-associated bloodstream infections. *American journal of infection control.* 2013;1):S17-S8.
666. Taylor JE, McDonald SJ, Tan K. Prevention of central venous catheter-related infection in the neonatal unit: a literature review. *The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstet.* 2014;1-7.
667. Taylor JE, McDonald SJ, Tan K. A survey of central venous catheter practices in Australian and New Zealand tertiary neonatal units. *Australian critical care : official journal of the Confederation of Australian Critical Care Nurses.* 2014;27(1):36-42.
668. Taylor T, Massaro A, Williams L, Doering J, McCarter R, He J, et al. Effect of a dedicated percutaneously inserted central catheter team on neonatal catheter-related bloodstream infection. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses.* 2011;11(2):122-8.
669. Thangavel M, Pomerance JJ, Raj C. Catheter tip localization during umbilical venous exchange transfusion and necrotizing enterocolitis. *Pediatrics.* 1982;69(6):799-800.
670. Thigpen JL. Peripheral intravenous extravasation: nursing procedure for initial treatment. *Neonatal network : NN.* 2007;26(6):379-84.
671. Thomson TL, Levine M, Muraskas JK, El-Zein C. Pericardial effusion in a preterm infant resulting from umbilical venous catheter placement. *Pediatric cardiology.* 2010;31(2):287-90.
672. Thyoka M, Haq I, Hosie G. Supraventricular tachycardia precipitated by a peripherally inserted central catheter in an infant with gastroschisis. *BMJ case reports.* 2014;2014.
673. Tiffany KF, Burke BL, Collins-Odoms C, Oelberg DG. Current practice regarding the enteral feeding of high-risk newborns with umbilical catheters in situ. *Pediatrics.* 2003;112(1 Pt 1):20-3.
674. Ting J. A baby girl with distended abdomen and unusual course of umbilical catheter. *Indian journal of pediatrics.* 2014;81(11):1272-3.
675. Tiran-Rajaofera I, Samperiz S, Trouilloud C, Pilorget H, Montbrun A, Attali T, et al. [27-gauge percutaneous catheters: use in nutritional management of very-low-birth-weight and severely premature newborns in a neonatal intensive care unit]. *Archives de pediatrie : organe officiel de la Societe francaise de pediatrie.* 2001;8(8):816-23.
676. Tjelmeland K. A quality assurance evaluation. Appropriate insertion and documentation of umbilical arterial and venous catheters by neonatal flight nurses. *The Journal of air medical transport.* 1990;9(6):11-4.
677. Tomek S, Asch S. Umbilical vein catheterization in the critical newborn: a review of anatomy and technique. *EMS World.* 2013;42(2):50-2.
678. Traen M, Schepens E, Laroche S, van Overmeire B. Cardiac tamponade and pericardial effusion due to venous umbilical catheterization. *Acta paediatrica (Oslo, Norway : 1992).* 2005;94(5):626-8.
679. Trotter C. Why are we trimming peripherally inserted central venous catheters? *Neonatal network : NN.* 2004;23(3):82-3.

680. Trotter C, Carey BE. Tearing and embolization of percutaneous central venous catheters. *Neonatal network : NN*. 1998;17(3):67-71.
681. Trotter CW. Percutaneous central venous catheters in neonates: a descriptive analysis and evaluation of predictors for sepsis. *The Journal of perinatal & neonatal nursing*. 1996;10(2):56-71.
682. Trotter CW. A national survey of percutaneous central venous catheter practices in neonates. *Neonatal network : NN*. 1998;17(6):31-8.
683. Tsai MH, Chu SM, Lien R, Huang HR, Wang JW, Chiang CC, et al. Complications associated with 2 different types of percutaneously inserted central venous catheters in very low birth weight infants. *Infection control and hospital epidemiology*. 2011;32(3):258-66.
684. Udassin R, Vinograd I, Alpan G, Arad I. Percutaneous subclavian venous catheters in premature infants weighing less than 1500 gm. *Am J Perinatol*. 1985;2(2):118-20.
685. Ullman AJ, Cooke ML, Gillies D, Marsh NM, Daud A, McGrail MR, et al. Optimal timing for intravascular administration set replacement. *The Cochrane database of systematic reviews*. 2013;9:CD0003588.
686. Unal S, Ekici F, Cetin, II, Bilgin L. Heparin infusion to prevent umbilical venous catheter related thrombosis in neonates. *Thrombosis research*. 2012;130(5):725-8.
687. Unbeck M, Forberg U, Ygge BM, Ehrenberg A, Petzold M, Johansson E. Peripheral venous catheter related complications are common among paediatric and neonatal patients. *Acta paediatrica (Oslo, Norway : 1992)*. 2015.
688. Uslu S, Ozdemir H, Comert S, Bolat F, Nuhoglu A. The effect of low-dose heparin on maintaining peripherally inserted percutaneous central venous catheters in neonates. *Journal of perinatology : official journal of the California Perinatal Association*. 2010;30(12):794-9.
689. Uygun I, Okur MH, Otcu S, Ozturk H. Peripherally inserted central catheters in the neonatal period. *Acta cirurgica brasileira / Sociedade Brasileira para Desenvolvimento Pesquisa em Cirurgia*. 2011;26(5):404-11.
690. Vali P, Fleming SE, Kim JH. Determination of umbilical catheter placement using anatomic landmarks. *Neonatology*. 2009;98(4):381-6.
691. Valk WJ, Liem KD, Geven WB. Seldinger technique as an alternative approach for percutaneous insertion of hydrophilic polyurethane central venous catheters in newborns. *JPEN Journal of parenteral and enteral nutrition*. 1995;19(2):151-5.
692. Valle YE, Escárraga PF, Hernández AQ, Arriola JH, Gómez UR. Absceso hepático en un neonato por la cateterización de la vena umbilical. *Rev Mex Pediatr*. 2014;81(4):134-7.
693. van den Hoogen A, Brouwer MJ, Gerards LJ, Fleer A, Krediet TG. Removal of percutaneously inserted central venous catheters in neonates is associated with the occurrence of sepsis. *Acta paediatrica (Oslo, Norway : 1992)*. 2008;97(9):1250-2.
694. van den Hoogen A, Krediet TG, Uiterwaal CS, Bolenius JF, Gerards LJ, Fleer A. In-line filters in central venous catheters in a neonatal intensive care unit. *Journal of perinatal medicine*. 2006;34(1):71-4.
695. van Ditzhuyzen O, Ronayette D. [Cardiac tamponade after central venous catheterization in a newborn infant]. *Archives de pediatrie : organe officiel de la Societe francaise de pediatrie*. 1996;3(5):463-5.
696. Van Leeuwen G, Patney M. Complications of umbilical vessel catheterization: peritoneal perforation. *Pediatrics*. 1969;44(6):1028-30.
697. van Lingen RA, Liem KD, Krediet TG. [Central venous catheters in newborn infants. Work Group Parenteral Nutrition of the Perinatology Section of the Dutch Pediatric Society]. *Tijdschr Kindergeneesk*. 1993;61(3):76-82.
698. Van Niekerk M, Kalis NN, Van der Merwe PL. Cardiac tamponade following umbilical vein catheterisation in a neonate. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde*. 1998;88 Suppl 2:C87-90.

699. Varnholt V, Lasch P, Sartoris J, Koelfen W, Kachel W, Lorenz C, et al. Prognosis and outcome of neonates treated either with veno-arterial (VA) or veno-venous (VV) ECMO. *The International journal of artificial organs.* 1995;18(10):569-73.
700. Vasudevan C, McGuire W. Early removal versus expectant management of central venous catheters in neonates with bloodstream infection. *The Cochrane database of systematic reviews.* 2011(8):CD008436.
701. Vegunta RK, Loethen P, Wallace LJ, Albert VL, Pearl RH. Differences in the outcome of surgically placed long-term central venous catheters in neonates: neck vs groin placement. *Journal of pediatric surgery.* 2005;40(1):47-51.
702. Veldman A, Josef J, Fischer D, Volk WR. A prospective pilot study of prophylactic treatment of preterm neonates with recombinant activated factor VII during the first 72 hours of life. *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies.* 2006;7(1):34-9.
703. Vendramim P, Pedreira Mda L, Peterlini MA. [The use of peripherally inserted central catheter lines with children in hospitals in the city of Sao Paulo]. *Revista gaucha de enfermagem / EENFUFRGS.* 2007;28(3):331-9.
704. Venkataraman PS, Babcock DS, Tsang RC, Ballard JL. Hepatic injury: a possible complication of dopamine infusion through an inappropriately placed umbilical vein catheter. *Am J Perinatol.* 1984;1(4):351-4.
705. Verheij GH, te Pas AB, Smits-Wintjens VE, Sramek A, Walther FJ, Lopriore E. Revised formula to determine the insertion length of umbilical vein catheters. *European journal of pediatrics.* 2013;172(8):1011-5.
706. Verheij GH, te Pas AB, Witlox RS, Smits-Wintjens VE, Walther FJ, Lopriore E. Poor accuracy of methods currently used to determine umbilical catheter insertion length. *International journal of pediatrics.* 2010;2010.
707. Vesely TM. Central venous catheter tip position: a continuing controversy. *Journal of Vascular and Interventional Radiology.* 2003;14(5):527-34.
708. Vidwans A, Neumann DP, Hussain N, Rosenkrantz T, Sanders MR. Diagnosis and management of spinal epidural space extravasation complicating percutaneous central venous line placement in a premature infant: case report and review of literature. *Conn Med.* 2000;64(2):79-82.
709. Villalona GA, McKee MA, Diefenbach KA. damage control Surgery in a< 1kg neonate: A Brief report. *The Yale journal of biology and medicine.* 2013;86(3):385.
710. Visscher M, deCastro MV, Combs L, Perkins L, Winer J, Schwegman N, et al. Effect of chlorhexidine gluconate on the skin integrity at PICC line sites. *Journal of perinatology : official journal of the California Perinatal Association.* 2009;29(12):802-7.
711. Vohra K, Shah P, Jhaveri R, Kanjilal D. Neonatal radiology casebook. Broken umbilical artery catheter: a rare occurrence. *Journal of perinatology : official journal of the California Perinatal Association.* 1989;9(3):347-8.
712. Walas W. Early and late complications of percutaneous central venous catheterization in newborns. [Polish]. *Przeglad Pediatryczny.* 2000;30(2):128-35.
713. Wald M, Happel CM, Kirchner L, Jeitler V, Sasse M, Wessel A. A new modified Seldinger technique for 2- and 3-French peripherally inserted central venous catheters. *European journal of pediatrics.* 2008;167(11):1327-9.
714. Walker D, Pellett JR. Pericardial tamponade secondary to umbilical vein catheters. *Journal of pediatric surgery.* 1972;7(1):79-80.
715. Wardle SP, Kelsall AWR, Yoxall CW, Subhedar NV. Percutaneous femoral arterial and venous catheterisation during neonatal intensive care. *Archives of Disease in Childhood - Fetal and Neonatal Edition.* 2001;85(2):F119-F22.
716. Wariyar UK HD. Review of four neonatal deaths due to cardiac tamponade associated with the presence of a central venous catheter. In: Health Do, editor. London2001.

717. Warner BW, Gorgone P, Schilling S, Farrell M, Ghory MJ. Multiple purpose central venous access in infants less than 1,000 grams. *Journal of pediatric surgery*. 1987;22(9):820-2.
718. WEBER AL, DELUCA S, SHANNON DC. Normal and abnormal position of the umbilical artery and venous catheter on the roentgenogram and review of complications. *American Journal of Roentgenology*. 1974;120(2):361-7.
719. Webster J. Handwashing in a neonatal intensive care nursery: product acceptability and effectiveness of chlorhexidine gluconate 4% and triclosan 1%. *The Journal of hospital infection*. 1992;21(2):137-41.
720. Webster NJ, Page B, Kuschel CA, Battin MR. Digital imaging does not improve localization of percutaneously inserted central lines in neonates. *J Paediatr Child Health*. 2005;41(5-6):256-9.
721. Weiss M, Fischer J, Boeckmann M, Freimüller R, Baenziger O. Eliminating discard volumes in neonatal and pediatric blood sampling from arterial catheters: A comparison of three simple blood-conserving aspiration techniques. *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*. 2002;3(2):134-40.
722. Weissenbacher G, Hayek HW. [Unexpected occurrences in radiologic control of catheters introduced into the umbilical vein: preliminary report]. *Annales de radiologie*. 1969;12(3):321-6.
723. Whitby T, McGowan P, Turner MA, Morgan C. Concentrated parenteral nutrition solutions and central venous catheter complications in preterm infants. *Archives of disease in childhood Fetal and neonatal edition*. 2015;100(3):F250-2.
724. Wiedersberg H, Pawlowski P. Anemic necrosis of the liver after umbilical vein catheterization. *Helvetica paediatrica acta*. 1979;34(1):53-62.
725. Wiedersberg H, Pawlowski P, Walther L. [Positioning of the catheter in the catheterization of umbilical veins in the newborn infant]. *Padiatrie und Grenzgebiete*. 1977;16(1):25-32.
726. Wilder KA, Kuehn SC, Moore JE. Peripheral intravenous and central catheter algorithm: a proactive quality initiative. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses*. 2014;14(6):E3-7.
727. Williams JW, Rittenberry A, Dillard R, Allen RG. Liver abscess in newborn: Complication of umbilical vein catheterization. *American Journal of Diseases of Children*. 1973;125(1):111-3.
728. Wirrell EC, Pelausa EO, Allen AC, Stinson DA, Hanna BD. Massive pericardial effusion as a cause for sudden deterioration of a very low birthweight infant. *Am J Perinatol*. 1993;10(6):419-23.
729. Wolfe DM. A previously undescribed etiology for oliguria in a premature infant with a peripherally inserted central catheter. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses*. 2010;10(2):56-9.
730. Wong J, Dow K, Shah PS, Andrews W, Lee S. Percutaneously placed central venous catheter-related sepsis in Canadian neonatal intensive care units. *Am J Perinatol*. 2012;29(8):629-34.
731. Wright IM, Owers M, Wagner M. The umbilical arterial catheter: a formula for improved positioning in the very low birth weight infant. *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*. 2008;9(5):498-501.
732. Wrightson DD. Peripherally inserted central catheter complications in neonates with upper versus lower extremity insertion sites. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses*. 2013;13(3):198-204.
733. Wu J, Mu D. Vascular catheter-related complications in newborns. *J Paediatr Child Health*. 2012;48(2):E91-5.

734. Yang ZM, Wang SN, Ma YL, Yang XL, Zhang WY, Zhu MY. [Application of umbilical venous catheter combined with peripherally inserted central catheter in very low birth weight infants]. Zhongguo dang dai er ke za zhi = Chinese journal of contemporary pediatrics. 2013;15(5):353-5.
735. Yeh J, Vargas JH, Wozniak LJ, Smith JB, Boechat MI, Touma M. Massive liver mass and parenteral nutrition extravasation secondary to umbilical venous catheter complications. Journal of clinical neonatology. 2014;3(3):158.
736. Yeung J, Lui D, Lee S, Ma J, Fong J. Neonatal exchange transfusion complicated by haemoperitoneum and liver haematoma related to umbilical venous catheterization. Hong Kong J Radiol. 2011;14(4):244-8.
737. Yiğiter M, Arda İS, Hiçsonmez A. Hepatic laceration because of malpositioning of the umbilical vein catheter: case report and literature review. Journal of pediatric surgery. 2008;43(5):e39-e41.
738. Yoder D. Cardiac perforation and tamponade: the deadly duo of central venous catheters. Int J Trauma Nurs. 2001;7(3):108-12.
739. Yu VY. Neonatal sepsis and infection control policies in Australia. J Paediatr Child Health. 1990;26(5):252-6.
740. Zambosco DGA, Cobas ME, Uria M, Zambosco AO. Calcificación intrahepática como complicación de la cateterización venosa umbilical. Arch argent pediatr. 2001;99(5):444.
741. Zenker M, Rupprecht T, Hofbeck M, Schmiedl N, Vetter V, Ries M. Paravertebral and intraspinal malposition of transfemoral central venous catheters in newborns. J Pediatr. 2000;136(6):837-40.
742. Zhou Q, Lee SK, Hu XJ, Jiang SY, Chen C, Wang CQ, et al. Successful reduction in central line-associated bloodstream infections in a Chinese neonatal intensive care unit. American journal of infection control. 2015;43(3):275-9.
743. Zingg W, Posfay-Barbe KM, Pfister RE, Touveneau S, Pittet D. Individualized catheter surveillance among neonates: a prospective, 8-year, single-center experience. Infection Control & Hospital Epidemiology. 2015;32(1):42-9.