## British Association of Perinatal Medicine



## The Use of Donor Human Expressed Breast Milk in Newborn Infants - A Framework for Practice

Consultation comments and responses – July 2016

Consultation period: January-February 2016



Consultant Neonatologist Princess Royal Maternity Hospital, Glasgow  Comment  The potential wide ranging benefits of improved availability of DHM and should be a national research priority.'  This sentence presupposes benefit – I suggest delete.  'maternal substance use.'  Not sure about this – perhaps for stimulant use., but OMM recommended for opioid misuse!  Some HMBs specifically label the preterm milk expressed within the first 4 weeks post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of uncertainties – don't think all the	Dr Helen Mactier	
Comment  Response  Agree. Deleted.  Agree. Deleted.	Consultant Neonatologist	
Comment  The potential wide ranging benefits of improved availability of DHM and should be a national research priority.'  This sentence presupposes benefit – I suggest delete.  'maternal substance use.'  Not sure about this – perhaps for stimulant use., but OMM recommended for opioid misuse!  Some HMBs specifically label the preterm milk expressed within the first 4 weeks post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	Princess Royal Maternity Hospital,	
The potential wide ranging benefits of improved availability of DHM and should be a national research priority.'  This sentence presupposes benefit – I suggest delete.  'maternal substance use.'  Not sure about this – perhaps for stimulant use., but OMM recommended for opioid misuse!  Some HMBs specifically label the preterm milk expressed within the first 4 weeks post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I' think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I' d prefer a greatly shortened list of	Glasgow	
improved availability of DHM and should be a national research priority.'  This sentence presupposes benefit – I suggest delete.  'maternal substance use.'  Not sure about this – perhaps for stimulant use., but OMM recommended for opioid misuse!  Some HMBs specifically label the preterm milk expressed within the first 4 weeks post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I'd prefer a greatly shortened list of	Comment	Response
improved availability of DHM and should be a national research priority.'  This sentence presupposes benefit – I suggest delete.  'maternal substance use.'  Not sure about this – perhaps for stimulant use., but OMM recommended for opioid misuse!  Some HMBs specifically label the preterm milk expressed within the first 4 weeks post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I'd prefer a greatly shortened list of	'The potential wide ranging benefits of	Agree. Deleted.
be a national research priority.'  This sentence presupposes benefit – I suggest delete.  'maternal substance use.'  Not sure about this – perhaps for stimulant use., but OMM recommended for opioid misuse!  Some HMBs specifically label the preterm milk expressed within the first 4 weeks post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I'd prefer a greatly shortened list of  Agree. Deleted.  Agree. Deleted.  Agree. Amended.  We would argue to retain this text as we feel many clinicians will find this interesting		
suggest delete.  'maternal substance use.'  Not sure about this – perhaps for stimulant use., but OMM recommended for opioid misuse!  Some HMBs specifically label the preterm milk expressed within the first 4 weeks post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  'Ithink that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of		
'maternal substance use.'  Not sure about this – perhaps for stimulant use., but OMM recommended for opioid misuse!  Some HMBs specifically label the preterm milk expressed within the first 4 weeks post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	This sentence presupposes benefit – I	
Not sure about this – perhaps for stimulant use., but OMM recommended for opioid misuse!  Some HMBs specifically label the preterm milk expressed within the first 4 weeks post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	suggest delete.	
use., but OMM recommended for opioid misuse!  Some HMBs specifically label the preterm milk expressed within the first 4 weeks post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	'maternal substance use.'	Agree. Deleted.
use., but OMM recommended for opioid misuse!  Some HMBs specifically label the preterm milk expressed within the first 4 weeks post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	Not sure about this – perhaps for stimulant	
Some HMBs specifically label the preterm milk expressed within the first 4 weeks post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  'Ithink that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  Agree. Amended.  Agreed – extra sentence added for clarification.  We would argue to retain this text as we feel many clinicians will find this interesting		
milk expressed within the first 4 weeks post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  'Ithink that this section is too long, and mostly anecdotal – not sure how relevant.  'Gollowing issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	misuse!	
milk expressed within the first 4 weeks post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  'Ithink that this section is too long, and mostly anecdotal – not sure how relevant.  'Gollowing issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	Some HMBs specifically label the preterm	Agree, Deleted.
post-delivery, and some perform nutritional analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of		7 · · · · · · · · · · · · · · · · · · ·
analyses on all DHM.  'Pasteurizing' – Should be pasteurisation?  'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'Gurent usage of Donor Human Milk in the UK'  Agreed – extra sentence added for clarification.  We would argue to retain this text as we feel many clinicians will find this interesting  Agreed. Text shortened.	•	
'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  Agreed – extra sentence added for clarification.  We would argue to retain this text as we feel many clinicians will find this interesting  Agreed. Text shortened.		
'They recommend the use of DHM in preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  Agreed – extra sentence added for clarification.  We would argue to retain this text as we feel many clinicians will find this interesting  Agreed. Text shortened.	'Pastourizing' Should be pastourisation?	Agree Amended
preference to artificial formula milk in preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	r asteurizing — Should be pasteurisation:	Agree. Amerided.
preterm infants when OMM is insufficient or unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	'They recommend the use of DHM in	
unavailable'  All or Some?  'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	•	clarification.
'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	•	
'Current usage of Donor Human Milk in the UK'  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	unavailable'	
UK' feel many clinicians will find this interesting  I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	All or Some?	
I think that this section is too long, and mostly anecdotal – not sure how relevant.  'following issues are frequently encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	'Current usage of Donor Human Milk in the	We would argue to retain this text as we
mostly anecdotal – not sure how relevant.  'following issues are frequently Agreed. Text shortened.  encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	UK'	feel many clinicians will find this interesting
'following issues are frequently Agreed. Text shortened. encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	I think that this section is too long, and	
encountered in UK NNUs such as'  I'd prefer a greatly shortened list of	mostly anecdotal – not sure how relevant.	
I'd prefer a greatly shortened list of	'following issues are frequently	Agreed. Text shortened.
	encountered in UK NNUs such as'	
uncertainties – don't think all the	I'd prefer a greatly shortened list of	
	uncertainties – don't think all the	



explanations necessary.	
'The ability to donate can potentially help some bereaved mothers'	This was textual feedback from a qualitative survey so is based on real-life feedback.
Strength of evidence for this?	reedback.
'It can be viewed via the EMBA website.'	Comment added in.
What does it say?	
Multiple strikethroughs to cut down or delete text.	Agreed. Accepted.

Caroline Davey Chief Executive Bliss	
Comment	Response
Changes sent to clarify provision of resources relating to Bliss and parent information.	Agreed. Amended.