BANNFU Introductory Webinar: Clinical/data 2

Anthony Kaiser 24.9.20





BANNFU Objectives

- •To improve the emotional and physical health [including neurodevelopmental] of families [including infants] involved in neonatal care.
- •To support timely early interventions that may impact/improve on early childhood outcomes.
- To consider an approach to assessment for school readiness and school entry and to promote liaison between health and educational services.
- To define outcomes at ages 2 and 4 years corrected, collate data and analyse the outcomes.

What data?

- * Who to get it about?
- * How to get it?
- * Who to get it?
- * When to get it?





TRPG OS survey of NNFU (2017)

- * Web-based survey questionnaire throughout UK
- * 62% of 179 units responded
- * 64% had dedicated NNFU service and 33% routine service
- * Wide variation in specifics

Arch Dis Child Fetal and Neonatal 2017 Doi: 10.1136/archdischild-2017-312983

Best practice or best evidence?

- * Historically, various follow-up programmes; obviously the one we designed was best!
- * NICE "Developmental follow-up of children and young people born preterm" August 2017
- * NICE has official sanction; but recommendations often controversial; and practicality?

BANNFU



Index cases (about whom?)

- * Up to 2 years ≡
 - * With developmental problems
 - Increased risk of dev problems
 - * <30 wk GA
 - * 30-36° wk GA +
 - * Significant brain lesion
 - * HIE II+
 - * Neonatal bacterial meningitis
 - * Neonatal HSE
 - * Other (!!)
- * 4 years
 - * All <28 wk GA (Epicure et al)

- * What about all other infants at risk?
 - * >36 wk + risk factors
 - Cyanotic congenital heart disease
 - Significant GI disorder eg NEC
 - * Clinical concern
 - * Significant jaundice
 - Significant hypoglycaemia
 - * Indication for NO



NICE Developmental problems and disorders (What?)

- Cerebral palsy
- * Motor and developmental coordination disorder
- * Intellectual (inc Special Educational Needs)
- Executive function disorders
- Speech/language/ communication
- Attention/impulsivity/ hyperactivity

- * ASD
- * Emotional/behavioural/ social
- * feeding
- * Sleep
- * Visual
- Hearing
- * "developmental delay"



Tools (how?)

	clinical	Prechtl/ AIMS		Griffiths/Bayley/ PARCA-R	ASQ	WPPSI	CHAT	SDQ
СР	V	V	V	V				
motor	V	V		V				
intellectual	V			V	V	V		
executive	V			V				
communication	V			V	V			
attention	V			V				
ASD	V						V	
emotional/ behavioural	V			V				V
feeding	V							
sleep	V							
visual	V			V				
hearing	V			V				
delay					V			



Agents (by whom?)

	agent				
clinical	parent, HCP				
Prechtl/AIMS	Physio, OT, HCP				
GMFCS	Physio, HCP				
Griffiths/Bayley/SGS	HCP, Therapist				
PARCA-R	parent (HV)				
ASQ	parent + HCP				
WPPSI	clinical psychologist				
CHAT	НСР				
SDQ	parent + HCP				
vision/hearing	national screening programmes				



When (NICE)?

- * NICE requires at least 4 face-to-face assessments (including considering parental concerns, auxology, physical wellbeing) at:
 - * 3-6 mo
 - * coming up to 12 mo
 - * 2 yr
 - * 4 yr (<28 wk only)

BANNFU



When (BANNFU)?

* BANNFU recommends:

- * Term (≡) or NNU discharge
- * 3-4 mo
- * 6-8 mo
- * About 12 mo
- * 2 yr
- * 4 yr (<28 wk only)

BANNFU



BANNFU survey on NNFU provision

